Botanical Exchange Reports

INDEX.

BS
BH
1a

Given 1912 by B. Reynolds to A. L. Smith
BM

INDEX to

Botanical Exchange Club Reports for the

years I905 and I908 to I933

Also the Watson Club Reports pages No I to No. 590 and I9I6 to I9I8.

FOREWORD.

This does not claim to be a full Index. It was started as a personal one, and included mainly such plants that I had, at that time, not got. Hence the ~~xxxxxxxx~~ repetition of certain plants.

I, afterwards, elaborated my first intentions, but the fact remains that it is not a complete Index. However, a good deal of the abundant store of botanic knowledge contained these volumes is thus placed for easy reference.

Little explanation of the modus operandi of this Index is needful.

The years is placed first, followed by the plants name, and at the end of each line, is the NO. of page. Years I923-25, 26-28, and I932-33 are complete volumes and in these, the specific year is not named.

In the Watson Club Reports (which are marked W.) the pages are numbered regularly, I to 560, after which they again begin with another Page I, but to these

later pages I have added the years,

I ceased to be a member of the Watson Club in 1918.

I have named many Aliens (especially after 1925) but it seems of little use, as such plants very rarely exist over the year that they are found.

Bernard Reynolds.

Nov. 2 1934.

Index of B.E.R.
I905, I908 to I933. Also Watson Club Reports.

A.

32-33	Abstract of Papers	497
23-25	Abutilon	869
W	Acaena Sanguisorba	492
I2	,, ,,	246
23-25	,, laevigaXta	387
32-33	Acanthus mollis	537
23-25	Acer camp. formas	32
22	,, ,, ,,	605
29-30	,, ,, ,,	340
29½30	,, ,, V Bryonioides	259
29-30	,, ,, V leiocarpon	II0
I8	,, ,, V lobatum	28I
29-30	,, ,, V trilobata	20
23-25	Achillea Millef. Vars.	576-878
I7	,, ,, V conspicua	34-228
29-30	,, ,, ,, ,,	II9-356
29-30	,, ,, V lanata	356
23-25	,, macrophila	I05I
3I,	,, nobilis	654
32-33	,, siberica V typica	47I
29-30	Aconitum anglicum	I0I
I9	,, laciniosum	548
23-25	,, ,,	763
I8	,, ,, V compactum	273
29-30	Acorus Calamus	I40
I5	Aden Flora	235

29-30	Adonis aestivalis	I06
23-25	,, annua (autumnalis)	553
32-33	,, ,, ,,	5I5
29-30	ÆÆthusa Cynap. V agrestis	II7-228
26-28	African, South. Plants	50
3I	Agriculture, (Review)	578
I9	Agrimonia agrimonoides	652
23-25	,, ,,	I82
32-33	,, ,,	524
29-30	,, Eupatoria forma	22
29-30	,, ,,	35I
20	,, ,, V sepium	I22
29-30	,, ,, V umbrosa	II5
29-30	,, odorata	II5-35I
29-30	Agropyrum (s)	I46-242- 532
I8	,, camp.	I45
23-25	,, ,,	73
I4	,, Donáanum	78
29-30	,, intermedium	286
32-33	,, Leersianum	II6
26-28	,, repens V.	425
I4	,, ,, ,,	37
32-33	,, tenerum	4I
I8	,, Viallantum (V. of repens)	4I0

B.E.R. I905 to I933
A cont.

2I	Agrostis. (long notes) A lemnis Vars	322
29-30	,, (s)	I44
29-30	,, alba forma	53I
29-30	,, ,, V sylvatica	377
32-33	,, ,, ,, ,,	778
I2	,, mutica	295
23-25	,, nigra notes	4II
29-30	,, pumila	377
I2	,, retrofacta	295
32-33	,, setacea	549-778
23-25	,, verticillata X palustris	457
22	Ajuga genevensis	743
29-30	,, ,,	I32
I7	,, ,,	I37
23-25	,, ,,	89I
23-25	,, pyramid. X reptans	40I
I5	,, ,, ,, ,,	207
23-25	,, reptans V alpina	54
23-25	,, ,, V stoleniflora	53-33I

23-25 Alchemilla (s) 720-77I
29-30 ,, ,, 2I-II4- 35I
32-33 ,, ,, 99- I64
9 ,, notes 427
I3 ,, ,, 323
26-28 ,, ,, 5I7
I4 ,, acutidens I3-I40
3I ,, controversa 726
29-30 ,, minor 226
29-30 ,, pastoralis 5I3
~~32-33~~ 3I ,, pratensis forma truncata 556
26-28 ,, Salmoniana 24
29-30 ,, vulgaris 5I3
23-25 ,, ,, V pratense I047
29-30 Algerian Plants 454
29-30 Alisma Plant. aquat. V lanceolata 373
3I ,, ,, ,, ,, ,, III-67I
I9 ,, Ranunculioides (Echinodorus) 684
8 Allium (s) 398
~~I5x~~ I6 ,, ,, 504
29-30 ,, ,, ~~x32I~~ 372
23-25 ,, paradoxa 599 ~~x32I5x~~
3I ,, Porrum 57I
23-25 ,, sativum 407
5 ,, Schoenoprasum I85
I7 ,, ,, I30
29-30 ,, ,, I39

I6	Allium Scorodoprasum	589
I7	,, ,,	250
32-33	,, ,,	772
29-30	,, vineale V bulbif.	I39
23-25	Allocarya	777
23-25	Alonsoa	74
W	Alnus glutinosus V incisa	256
22	,, incana	623
23-25	,, ,,	62
29-30	,, ,,	525
23-25	,, ,, V glabra	452
29-30	Alopecurus (s)	376
9-30	,, aequalis	~~xI42~~ I44- 242
I8	,, alp. V robustus	3II
29-30	,, Myosurus	I44
22	,, pratensis V caesius	633-863
23-25	,, ,, ,, ,,	4I0
I6	Althaea hirsuta	477
26-28	,, ,,	730
9-30	,, ,,	I08-224
3I	,, ,,	639
9-30	Alyssum marit.	I02
23-25	Amaranthus (s)	82I
I9	,, aliens	625
22	,, ,,	396
32-33	,, angustif.	I08
2-33	,, blitoides	769
9-30	,, hybridus V patulus	34
3-25	,, retroflexus V.	I062
W	,, sylvestris	252

~~[illegible]~~ 32-33
~~[illegible]~~ Amended Descriptions 233

I7 America. North, Flora 80

3I American Plants 840

29-30 Ammi majus 354

29-30 Amophila baltica 530

26-28 Anagallis arvensis Var. Serpyllifolia (Zepf(O) 33

29-30 ,, ,, (garden forma) I26

32-33 ,, ,, V pallida I62

23-25 ,, ,, V purpurea 44

2I Anaphalis marginata 563

3I Anchusa Note 568

I6 ,, (s) II7

3I ,, ,, 660

29-30 ,, sempervirens 362

29-30 ,, Vars. I27

W ,, offic. 545

I9 Andromeda polif. 665

29-30 ,, ,, I73

23-25 ,, ,, 884

23-25 Andryala 43

3I Anemone appennina 632

26-28 ,, coerulea I8
29-30
~~[illegible]~~ ,, ,, I00

3I ,, coronaria 632

I6 ,, nemorosa Vs. 397

3I ,, ,, V purpurea 632

20 Angelica sylv. notes 23

23-25	Angelica sylv. V decurrens	186-876
29-30	,, ,, ,, ,,	354
29-30	,, ,, V, purpurescens	22
32-33	Annals of the B.E.Club	282
29-30	Antennaria dioica	23-II9-356
I8	,, ,, V hyper.	286
29-30	Anthemis Cotula	II9
23-25	,, macra.	439
20	,, Ruthenica	I29
32-33	,, ,,	530
2I	,, ,,	383
3I	,, tinctoria V discoidea	830
23-25	,, Weidem.	878
29-30	Anthoxanthemum aristatum	I44-242
23-25	,, odoratum Vs.	4I0
23-25	,, ,, V interruptus	79I
23-25	,, ,, V ramosum	72
W	,, Puellii	5I4
8	,, ,,	404
I4	,, ,,	77
I7	,, ,,	I33
W	Anthriscus Cerefolium	446
I2	,, ,,	256
I7	,, ,,	I09
I8	,, ,,	3I8
3-25	,, ,,	I86
I7	,, formas	29
I6	,, sylv. Vs.	43I
I7	,, ,, ,,	28-I08

26-28 Antirrhinum Oronticum V grandif. I26

I7 Anthyllis rubra I9

W Apera interrupta 5I4
I4 ,, ,, 78
I6 ,, ,, ~~xxxxx~~ 508-594
23-25 ,, ,, 4II

29-30 ,, Spica-venti I44-53I

29-30 Apium inundatum 354

20 ,, leptophyllum I25
22 ,, ,, 728
23-25 ,, ,, 36

I3 ,, Moorei 324-470

29-30 ,, nodif. V pseudo-repens 5I5

I6 ,, (Notes) 570

I9 Aponogeton 684

23-25 ,, 600

I6 Aquilegia 398

I9 ,, pubescens 547

29-30 ,, vulg. forma I0I

I6 Arabis (s) 556
I4 ,, alpina II5
I5 ,, glabra 256
II ,, ,, 7I
32-33 ,, ,, 5I6
29-30 ,, hirsuta I02
3I ,, ,, 634
2I ,, ,, V conferta 550
I2 ,, ,, V Gerardi I52
I9 ,, rosea 548
3I ,, ,, 634

B.E.R. 1905 to 1933
A. cont.

8 Arctium (s) 332

23-25 ,, monograph 690

13 ,, notes 475

9-30 ,, Lappa 120

19 ,, ,, X vulgare 662

9-30 ,, nemorosum 120-357

16 Arctostaphylos alpina 494

18 ,, Uva-ursi V angustif. 289

1 ,, ,, ,, ,, ,, 653

Arenaria balearica 561

-28 ,, ,, 729

,, gothica 128

-25 ,, leptocladus Var. 1035

-30 ,, ,, V micrantha 259

-33 ,, ,, V petiolata 159

-25 ,, montana 562

-28 ,, peploides V diffusa 729

-30 ,, serpyllifolia V glanduluschila 258

2-33 ,, ,, V scaber 159

17 ,, ,, V viscidula 212

29-30 ,, tenuif. 510

W ,, ,, V laxa 386

16 ,,, (s) 406

1 Argentina (Review) 578

9-30 Armeria maritima 232

9-30 Arrhenatherum (s) 145-377

14 ,, tuberosum 29

31 Artemesia (s) 654

23-25 ,, Dracunculus (Tarragon) 392

W ,, pontica 189

29-30 Asarum europ. I35

I3 Ascherson & Graebner Fl. (Polygonaceae) 350

W Asperugo procumbens I9
8 ,, ,, 390
I5 ,, ,, 274
I6 ,, ,, 495
I7 ,, ,, II8
26-28 ,, ,, I25
29-30 ,, ,, I27-362-5I8
32-33 ,, ,, 534

I5 Asperula (s) 269

29-30 ,, ,, 355

W ,, arvensis 54I
I7 ,, ,, II0
20 ,, ,, I27
23-25 ,, ,, 574
26-28 ,, ,, II6
I6 ,, ,, forma 489

23-25 ,, ciliata 877

W ,, Taurina 98

20 Asphodelus fistul. I50

I5 Asplenium Ad.Nigrum V 597

2I ,, ,, ,, V caudif. 327

I3 ,, germanicum 345

29-30 ,, lanceolatum 287

23-25 ,, marinum V plumosum 793
26-28 ,, ,, Var. I43

29-30 ,, Ruta-muraria V pseudo-germanicum ~~xxxx~~ 379

I4 ,, Sinelii 79
I2 ,, ,, I86

20 ,, trichomanes V furcatum I6I

23-25	Aster (s)	997
3I	,, ,,	7I0
32-33	,, ,,	529
29-30	,, aliens	270-356
2I	,, linosyris	563
W	,, ,,	342
23-25	,, Novi-Belgii	877
I5	,, Tripolium V glaber	I99
29-30	,, ,, ,, ,,	356
I5	Astragalus alp.	26I
26-28	,, boeticus	733
29-30	,, ,,	II0-226
3I	,, Cicer	640
I5	,, danicus V.	I94
23-25	,, hamosus	I79
29-30	,, odoratus	259
3I	,, ,,	640
29-30	Astrantia major	II7
3I		
~~32-33~~	,, maxima	652
I6	Athyrium alp. V obtus.	597
29-30	Atriplex (s)	I24-237-368
3I	,, ,,	666
32-33	,, (New Vs.)	29
29-30	,, calotheca	279
I2	,, hastata V.	I76
I6	,, ,, (& Xs)	585
29-30	Atropa Belladonna	I28-5I9

23-25	Australian Plants.	823
I5	,, Vegetation	238
I3	Avebury. Obit.	382
29-30	Avena (s)	I45
23-25	,, fatua V pilos.	4I2
W	,, prat. V longif.	II9
I0	,, sativa V bromoides	5II
29-30	,, sterilis V oleodens	286
2I	,, strigosa (notes)	322
23-25	,, ,, Vars.	4I2
29-30	Axyris Amar.	I39-368
I2	Azolla	I86
I3	,,	346
29-30	,,	I47-244
3I	,, filiculoides	573

B.E.R. I905 To I933
B.

23-25	Baccharis	774
20	Baker. J.G. Obit.	93
23-25	Bailey. Obit.	526
8	Ballota (notes)	353
I7	,, nigra V membranacea	49- I22
29-30	,, ,, & Var.	I32
W	Barbarea arcuata	I74
I7	,, ,,	95
29-30	,, ,,	I02
23-25	,, V camp.	374
3I	,, intermedia	634
I8	,, ,, V fallax	277
W	,, taurica	I74
I6	,, Vars.	402
3I	,, verna	634
II	,, vulg. V transiens	70
26-28	,, ,, Vs. (inc. transiens)	386
23-25	Barclay. W. Obit.	I45
23-25	Bartsia Odont. V pallida	888
29-30	,, viscosa	364-52I
29-30	,, ,, V breviflora	38
26-28	Batrachia. British,	8II
29-30	Beattie. Plant notes.	533
23-25	Beinn Laoigh (Notes)	269

3I	~~xxxx~~ Belgigue So. Botanique	58I
29-30	Bellis per.	355
23-25	,, ,, formas	579
I7	,, ,, V "" Hen & Chickens Var""	~~xxxxx~~ II0
29-30	Bennet. Arthur, Obit.	8I
3I	Benthamia (Review)	594
23-25	Benthams Handbook	462
W	Berberis arist.	I73
23-25	,, vulg.	25
I8	Berks Flora	445
32-33	Betula alba (Long paper)	65I
5	,, interm.	6
W	,, nana (etc.)	255
29-30	,, ,,	369
3I	,, ,,	84I
I5	Bidens (s)	35I
I6	,, ,,	573
I7	,, X.	33
29-30	,, cernua	5I6
22	,, ,, V radiata	730
23-25	,, frondosa	576
26-28	,, ,,	742
I8	,, pilosa	383
29-30	,, tripartita	5I6
I9	,, ,, V integra	562
32-33	Bifora radians	22
29-30	Blechnum SpicantV bifidum	379

26-28	Botrychium matricariae	323
23-25	,, rutaceum	998
26-28	,, ,,	212
29-30	Brachypodium sylv.	146
29-30	,, pinnatum V corniculatum	146-531
32-33	,, ,, V gracile	41-456
19	Bradford Aliens	719
26-28	Brambles (Long notes)	499
29-30	,, (Notes)	168-423
23-25	Brassica (s)	557-362
29-30	,, ,,	103
31	,, ,,	636
31	,, alba V phaeosperma	553
31	,, arvensis V media	553
31	,, incana forma glabrescens	553
V	,, juncea	383
18	,, ,,	369
19	,, ,,	639
20	,, ,,	111
23-25	,, ,,	168
12	,, monensis	231
22	,, ,,	827
29-30	,, Napus forma auriculata	19
31	,, ,, V syntomocarpa	553
V	,, Rapa V Briggsii	220
11	,, ,, ,, ,,	73
19	,, Turgida	549

~~XXXX~~	Braunton Burrows (Many Photos)	258
23-25	Breckland Plants.	8II
29-30	Brewer. Samuel, Diary	Sup. 505
I6	Bristol Aliens	5I2
32-33	,, Alien Flora	3I4
3I	British Ass. (Review)	584
29-30	,, Flora Notes	250
26-28	,, Pl. List. Corrections.	867
23-25	Britten. Obit.	536
26-28	Briza media V.	322
I5	Bromus (s)	389
I6	,, ,,	596
29-30	,, ,,	I46-242-378
3I	,, ,,	678
32-33	,, ,, (2 new)	4I
5	,, brachystachys	I9I
29-30	,, britannicus	4I-286-53I
I8	,, brizaeformis	409
23-25	,, ciliatus	604
I6	,, commutatus Var.	434
23-25	,, hordeaceus V pseudo-racemosus	907
32-33	,, lepidus ≍ britannicus	I35
2I	,, mollis V Thominii	585
W	,, ramosus V Benekenii	28
W	,, rigidus	320
22	,, secalinus V badensis	864
W	,, tectorum	559

B.E.R. 1905 to 1933
B. cont.

29-30	Bryonia dioica	II7
23-25	Bubonium	575
3I	Buddlea Davidi	660
29-30	Bunias orient.	I05
23-25	Buphthalum	38
32-33	,, speciosum	I03
29-30	Bupleurum (s)	II7-5I5
23-25	,, lanc.	I85
I3	,, opacum	470
22	,, tenuissi.	84I
I5	Bursa (s)	3I7
2I	,, ,,	373
22	,, ,,	7I8
23-25	,, ,,	I69 375-557-765-863
29-30	,, ,,	I03-258-334
3I	,, ,,	678
32-33	,, Drucçeana	429
29-30	,, ~~pallida~~ gallica	222
20	,, Monograph.	I79
29-30 ~~32-33~~	,, ~~pergrossa~~ pastoris V.	508
29-30	,, pergrossa	I9
3I	,, sublaevigata	553
29-30	Burton-on-Trent Aliens.	465

5	Cakile marit. V integrifolia	I56
29-30	Calamagrostis epegeios	I44
29-30	,, neglecta	377
31	Calamintha Acinos V alba	838
23-25	,, boetica	52- ~~xxx~~ 40I
22	,, ,,	6I8
I8	Calceolaria	389
I	,, scabiosifolia	568
23-25	Calendula (s)	I90-879
3I	Californian Publications (Review)	588
I7	Callitriche (s)	224
2-33	,, ,,	528
29-30	,, Key.	77
-30	,, obtusangula	353
9-30	,, pedunculata	II6
I3	,, polymorpha	387
2I	,, ,,	56I
-25	,, ,,	875
-30	,, ,,	353
I	,, ,, in Ireland. Review-	606
I	,, stagnalis Vars.	93
-25	,, ,, ,,	875
5	,, truncata	I70
I2	,, ,,	I62
I3	,, ,,	468
-33	,, ,, V occidentalis	762

I3 Calluna vulg. V arborescens, etc. 328
II ,, ,, V Erikae 24
I7 ,, ,, V speciosa II6
23-25 ,, ,, ,, ,, 884
W Caltha palustris V minor 2I8
22 ,, ,, V parvif. 600
29-30 ,, radicans 332
3I ,, ,, 633
I4 Cambridge Flora. 33
20 ,, ,, 75
3I Camelina Alyssum forma brachycarpa 552
I0 ,, foetida 495
29-30 Campanula (s) I25-360
3I ,, ,, 658
23-25 ,, patula 883- I053
I6 ,, l,, 494
I7 ,, ,, II5
29-30 ,, ,, 23I
32-33 ,, Rapunculoides I05-532
I3 ,, rotundif. Vars 482
26-28 ,, ,, V. 746
I3 ,, ,, V confertif. 327
W ,, ,, Vs. elongata & hirta 449
3I ,, ,, V fissa 567
3I ,, ,, V linearifolius 568
~~29-30~~
26-28 Canary Is. notes 539
29-30 Cannabis sativa I36
29-30 Cape Peninsula Flora 68

29-30	Capnoides claviculata (Fumaria)	102
31	,, ,, ,,	634
32-33	,, eximia	516
23-25	Capnorchis formosa	861
5	Cardamine (s)	154
W	,, amara V erubescens	8
21	,, ,, ,, ,,	371
	,, ,, V parvif	602
-30	,, bulbifera	508
1	,, hirsuta V exigua	552
9-30	,, impatiens V apetala	102
6-28	,, ,, V poterif.	301
32-33	,, pratensis. (Long Paper)	209
11	,, ,, V dentata	71
16	,, ,, ,, ,,	556
31	,, ,, V Hayneana	~~[illegible]~~ 634
19	,, trifolia	637
-33	,, ,,	516
-25	Cardiff Aliens	999
26-28	,, ,,	181
29-30	Carduus (s)	120-357
13	,, acanthoides	475
23-25	,, ,, V litigiosus	880
18	,, ,, X nutans (Newbouldii)	384
W	,, nutans X crispus	55
17	,, ,, Var.	36
23-25	,, ,, V macrocephalus	191-727
22	,, pycnocephalus	731
29-30	,, ,,,	230

5 Carex (s) 186
8 ,, ,, 402
9 ,, ,, 477
13 ,, ,, 504
14 ,, ,, 77-169
15 ,, ,, 215-286
16 ,, ,, 506- 591
17 ,, ,, 131-253
29-30 ,, ,, 41-141-241-375-530
31 ,, ,, 674-843
32-33 ,, ,, 112-163-453-547-774

32-33 ,, (Long Paper) 167

32-33 ,, Xs 682

9 ,, notes 421

23-25 ,, ,, 789-902

W ,, aquatilis 462

W ,, ,, V angustata 317

W ,, ,, V virescens 318

22 ,, canescens X stellulata ~~633~~ 633

W ,, chaetophylla 262

18 ,, csomadensis X. 405

18 ,, Devonshire, (Key) 414

W ,, digitata 26

8 ,, gracilescens 402

W ,, gracilis V gracilescens 462

21 ,, ,, V tricostata 582

10 ,, Goodenov. X. 602

10 ,, hirta Var. 603

W ,, hirtaformis 463
23-25 ,, ,, 218

B.E.R. I905 to I933
Carex cont.

6-28	Carex	inflata X.	42I
I8	,,	,, V angustif.	3II
0	,,	lasiocarpa	I54
	,,	magellanica	66-5I3
-28	,,	,,	I39
-25	,,	microglochin	69
W	,,	montana	264
7	,,	muricata V fumosa	54
28	,,	pallescens V undulata	42I
	,,	paniculata V pseuda-paradoxa	429
	,,	paradoxa	3I6-5I3
	,,	,, X paniculata	294
	,,	pauciflora	I56
	,,	prolixa	364
	,,	Pseudo-Cyp. V minor	752
	,,	punctata	685
	,,	,,	743
	,,	,,	I39
5	,,	remota X divulsa	743-456
	,,	,, V subloliacea	3I9
	,,	riparia V gracilis	53
	,,	salina	686
	,,	saxatilis Vars, etc.	509
	,,	spiculosa	3I9
25	,,	sylvatica forma	408
0	,,	tomentosa	I55
25	,,	,,	2I9-409
2	,,	tricostata	293
	,,	trinervis	264
	,,	vesicaria V involuta	II8
33	,,	vulpiniodes	37

32-33 Carpels (Long Paper) 598

29-30 Carpinus Betulus I36

29-30 ,, ,, V incisa 36

23-25 ,, ,, V parvif 2II

22 ,, ,, ,, ,, 855

29-30 Carum Carvi

I9 ,, verticillatum II7

22 ,, ,, 656

23-25 ,, ,, 84I

I2 Castalia (s) 390

26-28 ,, ,, I5I

26-28 ,, alba Var. I04

29-30 ,, ,, V occidentalis 385

26-28 ,, occidentalis 332

29-30 Catabrosa aquatica 723

W ,, minor 53I

29-30 Catkin-bearing Plants 558

3I Caucalis (s) 294

29-30 ,, daucoides 653

23-25 ,, ,, Var. 229

I8 ,, latifolia 772

29-30 ,, ,, 382

23-25 ,, ,, II8

22 ,, leptophylla I87

23-25 ,, ,, 729

W(I6-I7) ,, nodosa V pedunculata 574

29-30 ,, ,, V ,, 20

II8

23-25	Centaurea. Key.	960
20	,, (s)	27-I3I
2I	,, ,,	565
22	,, ,,	732-767-844
23-25	,, ,,	I92-392-578-727-880-I052
26-28	,, ,,	576
29-30	,, ,,	I2I-358
3I	,, ,,	660-83I
2-33	,, ,,	I06-53I-765
3-25	,, aspera Vars.	42
-30	,, ,, V auricularia	23
20	,, Jacea notes	I63
30	,, ,, Vars.	230
I	,, Monograph.	406
6-28	,, pratensis	I49
7	,, Scabiosa Var.	II3
	,, ,, V Gelmii	663
-30	Centaurium ~~xx~~ (s) (Erythraea) ~~xx~~	I26
-30	,, capitatum	36I
6-28	,, Cent. V confertus	408
33	,, pulchellum V simplicissimum	533
-30	Cephalanthera longif.	I37-370
-33	,, rubra	543
0	Cerastium (s)	498
3	,, ,,	458
5	,, ,,	330
	,, ,,	376
30	,, ,,	337
3	,, Vars.	3I0
-25	,, alpinus X vulg.	562
-30	,, arvense	I07
	,, ,, V Andrewsii	44I
0	,, erectum	52I
7	,, pumilum	99-2I2

23-25 Cerastium ~~tetrandrum tetratr~~ tetrandrum V caespitosum

26-28 ,, semidecandrum X vulgatum 6I0

23-25 ,, subtetrandrum I035
I2 ,, ,, 236
I9 ,, ,, 550

I8 ,, viscosum V elongatum 279

29-30 ,, ,, V macropet. 224-5I0

23-25 ,, ,, formas 30

32-33 ,, vulgatum (Long Paper) 583

29-30 ,, ,, V Hanburyense 258

I9 ,, ,, V lucens 550

3I ,, ,, V pratense 554

23-25 ,, ,, V serpentini 377

W Ceratophyllum (s) 509
26-28 ,, ,, 2II

29-30 ,, demersum 369

23-25 Cerinthe minor 585
20 ,, ,, I36

W(I7-I8) Ceterach crenata 82

29-30 Chaerefolium Anthriscus 354

29-30 ,, sylv. V angustisecta 354- 5I6

23-25 Chaerophyllum temulum V chryseum. 36

I0 ,, aureum 52I
I2 ,, ,, 256

I7 Channel Is. Plants. I38

29-30 Chara (s) 379-533

I6 Characeae 5II

20 Charophyta. British, 66
23-25 ,, ,, 487

29-30 Cheiranthus Cheiri I02
W Chelidonium laciniatum 6
8 ,, ,, 359

3I	Chenopodiaceae (Review)	576
I2	Chenopodium (s)	I74
I3	,, ,,	333
I6	,, ,,	500
I7	,, ,,	I23-244
20	,, ,,	I45
22	,, ,,	62I-745
3-25	,, ,,	208-593-780-89I
6-28	,, ,,	636
9-30	,, ,,	34-I33-237-279-367
3I	,, ,,	570-666-838
-33	,, ,,	29-I08-449-~~I8~~ 769
I7	,, Key.	50
2I	,, Key to album, etc.	305
I9	,, capitatum	676
W	,, hybridum V Paeskii	406
I8	,, murale V paucidentatum	307
2-33	,, rostratum	49I
I5	,, urbicum	278
-33	,, ,,	539
W	,, ,, V intermedium	63
20	Chepstow Flora.	84
23-25	Chrysanthemum Balsamita	878
26-28	,, lacustris	742
I8	,, leucanthemum V discoidea	287
23-25	,, ,, V laciniata	38
I8	,, maximum	383
23-25	,, myconis	577
22	,, Parthenium formas	609
3-25	,, ,, Var.	I05I
29-30	Chrysosplenium oppositif.	353

I2	Cicendia pusilla	269
I7	Cichorium Int. Var.	37
26-28	,, ,, V glabratum	402
29-30	,, ,, ,, ,,	358
~~23-25~~	~~Citrullus colocynthis~~	~~xxxx~~
29-30	Circeae alp.	II6-354
I6	,, ,, etc.	487
29-30	,, canadensis (intermedia)	354
W I9	,, intermedia	I6
23-25	,, ,,	655
	,, ,,	572
29-30	Cirsium (s)	I2I-357
29-30	,, acaule	230
22b	,, arv. Vars.	73I
I5	,, ,, V marit.	202
32-33	,, ,, X tuberosus	I62
I3	,, eriophorum	36I
2I	,, ,, V britannicum	564
W(I7-I8)	,, ferox	65
II	,, ,,	22
I4	,, ,,	68
I5	,, ,,	270
I6	,, ,,	49I
I7	,, ,,	II3
23-25	,, ,,	880
26-28	,, ,,	402
29-30	,, palustre X pratense	23
3I	,, ,, ,, ,,	655
32-33	,, ,, X tuberosus	485
I6	,, pratense	4I7
29-30	,, ,, V angustif.	27I
I2	,, ,, V polyceph.	I65
I7	,, ,, ,, ,,	36

	Cirsium tuberosum	353-383
	,, ,,	I3I
3	Citrullus vulg.	763
25	,, Calocynthis	876
25	Clarke. W.G. Obit.	844
3	Clarkia pul.	380
9-30	Claytonia (s)	338
9-30	,, siberica	I08-224
9-30	Clematis Vitalba	I00-33I
(I7-I8)	,, ,, V integ.	7
3-25	,, viticella	553
3-25	Clethra alnifolia	776
I3	Clinopodium vul. V diminuata	490
9-30	,, ,, V ovata	278
-33	Clyde Flora	489
I	Cnicus acaule X tuberosum	53I
I	,, Xs etc.	53I
6-28	,, Benedictus	744
32-33	,, ,,	655
-30	Cochlearia (s)	333
3-25	,, notes	27
5	,, X.	I86
-30	,, danica forma	I02
3	,, micacea	450
	,, off. forma	552
5	Colchester Aliens	295
25	Colchicum autumnalis	599
I	,, ,,	67I
9	,, ,, Var.	4I9
	Comital FL. of Brit. Is.	59I

32-33 Comital Fl. of Brit. Is. 555

3I Commelina (s) 57I-84I

23-25 Conopodium majus Var. 437

29-30 ,, ,, V condensatum 270

3I ,, ,, forma 557

I6 Convallaria mag. forma rosea 429

29-30 Convolvulus arv. formas 3I

I3 ,, ,, V Stonestreetii 330

22 ,, (Ipomoea) 6I5

32-33 ,, tricolor I06

I4 Corallorrhiza innata 74
I6 ,, ,, 587
20 ,, ,, I47
32-33 ,, trifida 542

32-33 Corchorus olitorius 2I

I8 Coronilla scorp. 375

29-30 Coriandrum sativum 355

29-30 Coringia orient. (Erysimum) I03-333

29-30 Cornish Trees 320

29-30 Coronopus (s) I04

29-30 ,, didymus 335

3I Corrections 8I5

26-28 Corrigiola lit. V rubescens 3I6
I3 Corsican Flora
23-25 Corydalis formosa (Capnorchis) I66
20 ,, solida ,, II0
I5 Corylus Avelana Var. 209
23-25 Coste. Obit. 537

-30	Cotoneaster microphylla	II5
)	,, Simonsii	50I
·33	,, racimiflora	47I
:8	Cotula anthemoides	288
;2-33	Cotyledon oppositif.	I2I-552
33-25	,, umb. V bracteata	572
36-28	,, ,, ,, ,,	738
I2	Crateagus (s)	25I
I5	,, ,,	I96-345
29-30	,, ,,	II5
26-28	,, Vars.	529
II	,, cuneata,etc.	92
9-30	,, heterophylla	II5
I7	,, monog. Vars	I07
3I	,, ,, forma	556
9-30	,, ,, V fissa	5I5
I2	,, ,, V glabrata	I60
29-30	,, ,, V gracilis	22
II	,, ,, V quercif.	I9
2-33	,, punctata	I02
I8	,, tanacetif.	379
3I	,, X Mespilus	556

I5	Crepis (s)		
29-30	,,	,,	353
23-25	,,	anglica	I2I-358
I5	,,	biennis	42-579
32-33	,,	,, (in Yorks.)	27I
I6	,,	capillaris Vars.	625
23-25	,,	,, ,,	574
23-25	,,	,, V glandulosa	88I
32-33	,,	foetida V hispida	43
32-33	,,	,, V vulgaris	485
23-25	,,	Drucæana	485
W	,,	mollis	774
8	,,	,,	448
I3	,,	,,	383
23-25	,,	nicaeensis	476
32-33	,,	oporinoides	I93-579
23-25	,,	setosa	43
32-33	,,	,,	I93
22	,,	taraxif. V subindivisa	439-532
I6	Crocus (s)		6I2
I7	,,	albiflorus	504
23-25	,,	,,	I29
22	,,	biflorus	897
W	,,	nudiflorus	857
I7	,,	,,	24
32-33	,,	,,	I29
23-25	,,	vernus (albiflorus)	I38
I5	,,	,, ,,	598
32-33	,,	,, ,,	282
			I38

B.E.R. I905 to I933
C. cont.

3-25	Cryptostemma Calendula	I9I
3-25	Cucubulus baccifer	377
3-25	Culben Sands. Notes	253
-33	Curiosites of Plant Life.	607
20	Cuscuta epilinum	I37
-25	,, ,,	397
-28	,, ,,	748
-30	,, ,,	362-5I8
-33	,, ,,	534
-25	,, sauveolens	585
-28	,, ,,	748
-33	Cyclamen hederif.	I25
	Cynodon Dactylon	I34
-25	,, ,,	904
I9	Cynosurus crist. forma cuprea	689
-25	,, ,, Forma ramosa	79I
-30	,, echinatus	I45-377-53I
6-28	,, echinatus V purpurescens	37
[illegible]	,, ,,	

32-33 Cyperus ~~difformis~~ difformis 37

29-30 ,, fuscus I4I

29-30 ,, longus I40-240-374

29-30 Cyprus Flora. 469

I5 ,, Notes. 232

29-30 Cystitus scoparius forma 340

I8 Cystopteris Dickieana 3I7

29-30 ,, Filex-frag. (C.fragilis) I47

I7 ,, ~~fragilis~~ fragilis V sempervirens 63

I7 ,, montana I37

29-30 ,, regia 287

)-30	Dactylis glom. forma	I45
2-33	Dagenham Dumps	628
9-30	Damasonium Dam.	373
,,	Daphne Mez.	I36
,,	Daucus Carota forma	I45
3-25	~~xxx~~,, ,, forma nanus	574
I0	,, ,, V ciliatus	503
I7	,, ,, V comosus	3I
)-30	,, gum. V genuina	229
,,	,, ,, V intermedium	229
2-33	,, ,, V villosa	47I
I5	Davy. Obit.	25I
3I	Delphinium Ajacis	634
I3	Derbyshire Flora	360
I6	Derwentwater notes on aquatic pts.	5I5
)-30	Deschampsia caespitosa V montana	377
,,	,, flex. V montana	377
2-33	,, ,, ,, ,,	549
I3	,, setacea	509
I7	,, ,,	I34
3-25	Desmazeria loliacea forma	79I
2-33	Devon. (Holiday in N.)	567
I4	Deyeuzia neglecta	I72
I5	,, ,,	287
2I	,, ,,	584
-25	,, ,,	904
7	,, ,, V borealis	55-I33-256

29-30	Dianthus Deltoides	337
I8	Digitalis purp. V pubescens	~~XXX~~ 297
23-25	Diplotaxis catholica	28
29-30	,, muralis	334
3I	,, ,, V intermedia	553
32-33	,, tenuif. V integrifolia	I59
I4	Diotis marit.	68
2I	,, ,,	385
8	Desiderata	348
22	Dondia (Sueda) V. flexilis	745
29-30	,, ,, fruticosa	368
26-28	Donegal Notes.	427
23-25	Dorychium rect.	33-435-7I4-I037
29-30	Draba Aizoides V montana	I9
I6	,, incana V confusa	47I
2I	,, ,, ,, ,,	37I
I0	,, ,, V gracilis	495
29-30	,, ,, V nana	I9
,,	,, muralis	333
I4	,, rupestris Vs.	8
29-30	,, ,, V bracheata	I9
,,	,, ,, V leiocarpa	I9
32-33	Drabble. Obit.	508
I8	Dracocephalum	394
I9	,,	673
23-25	,,	206-590

32-33 Drusera ang. X rotundif. 527
,, intermedia 828
-30 ,, rotundif. 353
[Druce. Obit. 549
, ,, Publications. 804
-30 Dryas octopetala forms 227
,, Dryopteris Felix-Mas V linearis 379
,, ,, Aemula 379
19 Dubious Pts. of Gt Britain 731
21 Dublin Aliens 406
-28 Du Bois Herbarium 463
-25 Duplicated Binomials 685

B.E.R. I905 to I933
E.

32-33	Echinochloa crus-pav.	37
I7	Echium italicum V pyramidale	39
29-30	,, plantagineum	I27
29-30	,, vulgare V postulatum	276
3I	Edinboro Bot. So.	582
23-25	Egypt & Palestine Tour	466
22	Elatine hex. V sessilis	72I
29-30	,, Hydropiper	338
29-30	Eleocharis acicularis	I4I-24I
23-25	,, pal. Key.	788
I6	,, ,, V arenaria	2I5
II	,, uniglumis	I32
I4	,, ,,	76-I66
20	,, ,,	I53
23-25	,, ,,	600
29-30	,, ,,	528
32-33	,, ,,	547
I5	Elisma natans	I3I-284
I6	,, ,,	506
23-25	,, ,,	2I7-900
3I	,, ,,	672
32-33	,, ,,	III
29-30	Ellman. Rev.E Obit.	89

23-25	Elodea canadensis	963
29-30	Elymus europ.	379
23-25	,, sibericus	604-907
I9	Emex	678
29-30	Empetrum hermaphroditum	280
32-33	,, ,,	542
I5	Epilobium (s)	266
I6	,, ,,	486-569
I7	,, ,,	I07
29-30	,, ,,	II6-353
3I	,, ,,	828
32-33	,, ,,	436
5	,, Xs	I7I
II	,, ,,	94
I5	,, ,,	349
26-28	,, ,,	397
23-25	,, X ambigens	996
I8	,, X Aschersonium	284
29-30	,, hirsutum V villosissimum	5I5
23-25	,, ,, ,, ,, etc.	875
I5	,, ,, X palustre	I98
23-25	,, Lamyi	572
29-30	,, montanum forma	22
23-25	,, obscurum V strictif.	389
I2	,, pal. V pubescens	I64
29-30	,, roseum	5I5

32-33	Epipactis (Helleborine) (s)	487-543
20	,, notes	45
W	,, ,,	258
2I	,, Vs.	308
I8	,, atropurp. V Crowtheri	400
2I	,, leptochila	308
I0	,, media	597
23-25	Epipogum	330-435
9	Equisetum (s)	484
I6	,, ,,	5I0
29-30	,, ,,	I47-244
W	,, arenarium	29-267
8	,, arv. V nemorosum	406
2I	,, ,, ,, ,, 585 ~~XXXX~~	~~xxx~~ ~~xxxx~~
W	,, hyemale	29
I5	,, ,,	288
22	,, littoralis	755
20	,, ,, X arv.	I6I
29-30	,, maximum	379
29-30	,, occidentale	42
23-25	,, palustre V longiramosum	907-I072
3I	,, ,, V simulans	573-846
32-33	,, syl. V serotinum	I63
29-30	,, ,, ,, ,,	379
I2	,, variegatum	I30

26-28	Erica (s)	746
29-30	,, ,,	360
32-33	,, cin. V schizopetala	I06
22	,, ,, V splendens	736
29-30	,, ,, V Rendlei	23I
5	,, lusitanica	I47
8	,, ,,	389
W	,, Mackayi	450
I2	,, ,, X Tetralix (Praegeri)	I67
I2	,, schizopetala	I67
20	,, ,,	I34
29-30	,, Tetralix Var.	30
3I	,, ,, forma latifolia	597
23-25	,, ,, V fissa	884
26-28	,, ,, ,, ,,	407
29-30	,, ,, ,, ,,	274
32-33	,, vagans (forms)	477
22	,, ,, V Kevernensis	6I4
23-25	,, ,, ,, ,,	776
29-30	,, ,, ,, ,,	I25
29-30	,, ,, V parvif.	30
26-28	Erigeron X.	II7
I3	,, Vars.	472
23-25	,, Aliens	575
II	,, acre X canadensis	98
I8	,, ,, V.	285
23-25	Erinus	203-887
29-30		

29-30	Eriophorum(s)			141
31	,,	,,		674
9-30	,,	alpinum etc.		284
31	,,	angustif.	572	~~562~~
3-25	,,	,, V brevisetum		789
3	,,	,, V elatius		401
	,,	,, V triq.		116
0	Erodium (s)			17
2	,,	,,		722
-25	,,	,,		869
-30	,,	,,		339
31	,,	,,		640
-25	,,	notes & Key		957
9	,,	Aliens		645
7	,,	Var.		215
	,,	cicutarium V glandulosum		443
9-30	,,	,, V neglectum		109
4	,,	,, V pimpinellaefolium		134
9-30	,,	,, ,, ,,		225
-25	,,	Lebelii		176
	,,	moschatum V minor		389
6-28	,,	,, ,, ,,		689

I3	Erophila (s)	449
I4	,, ,,	II8
I5	,, ,,	3I5
I6	,, ,,	557
29-30	,, ,,	I77-22I
3I	,, ,,	635
I4	,, notes	89
W	,, ,,	430-466
26-28	,, Vars.	608
3I	,, Boerhaavii V Fraseri	552
3I	,, ,, V muriculo	820
29-30	,, majuscula	333
26-28	,, oedocarpa	20
29-30	,, praecox V microcarpa	I9
22	,, serrata	826
29-30	,, verna forma	508
23-25	Eruca	863
29-30	,, Vars,	I9
3I	,, Eruca V eriocarpa	536-553
23-25	,, sativa	557
22	Eryngium camp.	728
23-25	,, ,,	876
29-30	.. ,,	II7-354
23-25	,, planum	I85

29-30	Erysimum Cheiranthoides	I03-508
29-30	,, ochroleucum X Perof.	I9
23-25	,, repandum	I68-556-862
2I	,, ,,	372
I8	Erythrea (Centaurium) portensis	290
22	,, pulchella V pal.	6I5
3-25	,, ,, (type)	583
3-25	,, Centaurium V ellipticum	583
2I	,, subelongatus	570
	Euclidium	9
29-30	Eupatorium cannabi. V subinteger	II8
I6	Euphorbia (s)	428-586
I7	,, ,,	I27-246
30	,, ,,	239
30	,, amagdal. forma	369
25	,, ceratocarpa	998
8	,, Cyperissias	~~391~~ 397
9	,, ,,	469
	,, ,,	~~xxxxx~~ 59I
II	,, ,,	I20
4	,, ,,	74
5	,, ,,	279
8	,, ,,	398
9	,, ,,	678
2I	,, ,,	576
3-25	,, ,,	2I0
26-28	,, ,,	4I7

31 Euphorbia Cyperissias (cont) 667

W ,, ,, 253-553

12 ,, dulcis 283

29-30 ,, Esula 36

29-30 ,, exigua V retusa 369

32-33 ,, pepliodes 481

29-30 ,, virgata 136

23-25 Euphrasia (Norwegian Key) 778

12 ,, (s) 272

15 ,, ,, 360
16 ,, ,, 423
17 ,, ,, 235
29-30 ,, ,, 32-129-234-276-363-519
31 ,, ,, 662-836
32-33 ,, ,, 442-536-766

23-25 ,, Notes on Brit. 909
16 ,, ,, 579
32-33 ,, anglica X 486

23-25 ,, atroviolacea 49

19 ,, confusa 572
22 ,, ,, Var. 617
12 ,, fennica 169
32-33 ,, frigida (latifolia) 485
32-33 ,, ,, V laxa 485
19 ,, hirtella 571
32-33 ,, micrantha V Johnstonii 485
8 ,, minima 334
21 ,, septentrionalis 298
12 ,, suecica 169
23-25 ,, variabilis 50

32-33 Evonymous europ. V latifolia 752
31 ,, ,, V leucocarpus 640
26-28 ,, ,, ,, ,, 21-110
12 ,, forma 243
15 ,, ,, repens 192

13 Ewing. Obit. 378

B.E.R. I905 to I933

F.

23-25	Fagopyrum tatar.	594
32-33	Falcaria vulg.	528
I2	Fagus heterophy.	I79
26-28	Fawcett. Obit.	90
I5	Festuca (s)	387
I7	,, ,,	* I35
23-25	,, ,,	49I-905
26-28	,, ,,	I42-~~I25x~~ I75-424
29-30	,, ,,	I46-242
3I	,, ,,	678
32-33	,, ,,	II5
23-25	,, dumetorum	I07I
I0	,, firmula	5II
8	,, heterophy.	405
26-28	,, juncif.	I42
23-25	,, ovina Key	792
I2	,, ,, forma	~~x272~~ 297
2I	,, ,, (viviparous)	4I8
W	,, rigáda V umbrosa	5I5
20	,, rubra (notes)	56
23-25	,, ,, ,,	49I
29-30	,, ,, Var.	53I
I8	,, X (Schlickumi)	3I5

I2	Filago axillaris	I64
20	,, gallica	I28
W	,, ,,	54I
29-30	,, germanica	5I6
29-30	,, minima	5I6
26-28	Foula Is. Flora	838
26-28	Fragaria (s)	735
I5	,, moschata	264
I6	,, ,,	483
I7	,, ,,	I05
23-25	,, ,,	872
29-30	,, vesca V albescens	II4
29-30	Fraxinus excelsior	30- 232
I7	,, ,, V diversif.	II6
II	,, heterophylla	I08
I8	,, ornus	387
29-30	Fritillaria Meleagris	I39
I2	Fryer. Obit.	I95

12	Fumaria. Notes with Pugsleys Key.		151
5	,,	(s)	153
8	,,	,,	359
13	,,	,,	448
14	,,	,,	60
15	,,	,,	313
17	,,	,,	208
29-30	,,	,,	102-221- 333
32-33	,,	,,	427-820
29-30	,,	capreolata V Bab.	308
9	,,	densif. X Vaillantii	412
29-30	,,	micrantha	308
31	,,	purpurea	634
W	,,	Vaillantii	7
31	Fungi. Review.		587-589
29-30	Further Illust. of Brit. Pts.		291

32-33	Gagea lutea	544
29-30	Galanthus nivalis	372
I2	Galeopsis (s)	277
29-30	,, ,,	I32- 236
I8	,, dubia	394
29-30	,, speciosa	367
32-33	,, Tetra. V bifida	I08
29-30	Galinsoga parviflora	I II9-356
I5	,, Var. Adenophora	200
I6	,, ,, "	490
I7	,, ,, "	228
I8	,, ,, S	287
26-28	,, ,, V. adenophora	400
8	Galium (s)	378
I6	,, ,,	572
I7	,, ,,	II0
23-25	,, ,,	39I-877
29-30	,, ,,	229-355-5I6
3I	,, ,,	653
32-33	,, ,,	529-763
8	,, Xs	377
I3	,, ,,	47I
I7	,, ,,	32- 227

I5 Galium anglicum 350

3I ,, ,, 830

W ,, asperum 237

I2 ,, Bakeri 257

W ,, ,, 497

23-25 ,, ,, 725

23-25 ,, boreale V diffusum 774

26-28 ,, ,, V stenophyllum II6

23-25 ,, debile 438

26-28 ,, ,, 740

29-30 ,, erectum II8

8 ,, ,, X verum 332

W ,, ,, ,, ,, 236

23-25 ,, ,, ,, ,, 725

I2 ,, insubericum 256

20 ,, Mollugo X verum I26
I6 ,, ,, ,, ,, 382
22 ,, ,, ,, ,, 842
8 ,, palustre V elongatum 378
23-25 ,, ,, ,, ,, 725

5 ,, ,, V gracile I47
I5 ,, ,, V serrulatum 503
I5 ,, saxatile V alpinum I98

5 XX ,, Vaillantii 459

W. I7-I5 ,, verum V marit. 64

31 Gardeners Chron. (Review) 606

3I Gardening, List of (,,) 579

23-25 Gaudenia 603

23-25 Gazania 997

32-33	Genista elatior	554-824
23-25	,, hispanica	32
I3	Gentiana (s)	484
I0	,, ,,	~~520~~ 52I
29-30	,, ,,	I26
3I	,, ,,	660
I9	,, acaulis	667
29-30	,, Amarella	232
I4	,, ,, V calycina	70
20	,, ,, ,, ,,	I35
29-30	,, campestris	36I-5I8
29-30	,, germanica	5I8
I5	,, Pamplinii	357
W	,, preacox	30I
26-28	,, septentrionalis	I24-3II-579
23-25	,, ,,	396- ~~882~~ 885
2I	,, ,,	570
23-25	,, suecica	45
26-28	,, ,,	408
I7	,, verna V alba	38

29-30	Geranium (s)	I09-339
3I	,, ,,	640
20	,, celticum	II7
2I	,, ,,	553
23-25	,, ,,	564
I8	,, divaricatum	373
I0	,, Endressi	499
20	,, ,,	II7
2I	,, ,,	376
22	,, ,,	722
23-25	,, ,,	I75-869
29-30	,, ,, V Armitagae	20
23-25	,, lancastriense	I75
23-25	,, macrorrhizum	I75
22	,, molle V aequale	722
26-28	,, ,, ,, ,,	529
32-33	,, ,, ,, ,,	522
23-25	,, pratense V semiplenum	766
8	,, ,, X Robert.	332
I9	,, purpureum notes	724
23-25	,, ,, ,,	869
29-30	,, ,,	5II
I7	,, pusillum V condensatum	I7
23-25	,, ,, forma album	I036
I5	,, Robert. forma	I9I
23-25	,, ,, V hispidum	I75
29-30	,, rotundif.	5II
I9	,, ,, V Thurstonii	55I
29-30	,, sanguineum	225
20	,, ,, X lancastriense	I7
W	,, straitum	83
I6	,, versicolor	478

29-30	Geum intermedium	II4
I0	,, rivale V pallidum	500
32-33	Gilia squarosa	533
32-33	Glamorgan Flora	686
26-28	,, Plants	455
32-33	,, ,,	666
I9	Glasgow Aliens	7I9
2I	,, ,,	405
I9	Glecoma hederacea (Nepeta) notes	695
29-30	Glaucium Glaucium formas	I0I
I6	Glyceria (s)	43I- 595
I7	,, ,,	258
29-30	,, ,,	I45
3I	,, ,,	678
I5	,, distans V prostrata	387
32-33	,, ,, ,, ,,	779
W	,, ,, V pulvinata	367- 378
W	,, festucaformis	27- 66
5	,, ,,	I89
I8	,, marit. Vars.	3I5
I7	,, ,, notes	57
23-25	,, procumbens V vegeta	792
32-33	,, retroflexa	I63
23-25	Glycine Soja	568- 87I

I3	Gnaphalium lutea-album	473
32-33	,, norvegicum	II7
~~Ixx~~ I5	,, sylvaticum V alp.	200
I6	,, ,, ,, ,,	572
I6	Goodyer Biography	523
32-33	Gossypium punctatus	468
3I	Grasses. Brit, (Review)	594
32-33	,, Study of,	63I
29-30	,, The Worlds,	46
26-28	Greenland Flora	356
I8	Grindelia squarosa	382
23-25	,, ,,	574
I3	Groves. Henry, Obit.	376
23-25	Gynandropis pentaphylla	765
I8	Gypsophila	37I
3I	,, elegans	638

G7

29-30	Habenaria ~~xx~~ hybrid (s)	138-371
31	,, ,,	670
10	,, hybrid Xs.	508
26-28	,, ,,	789
15	,, albida (etc)	282
20	,, ,, ,,	149
21	,, ,,	579
22	,, ,,	749
29-30	,, conopsea	240
23-25	,, densif. (etc)	598
29-30	,, Gymnadenia Vars. albiflora Hwacker not wee.	138
16	,, odoratissima	428
26-28	,, viride V Viallantii	420
26-28	Hackel. Obit.	93
32-33	Hampshire Comital Flora	559
29-30	,, Flora (additions)	73
32-33	Hants. Bot. Tour.	220
19	Harbury. Warwickshire Plants.	721
15	Hawes-Water notes. (Aquatic)	294
29-30	Hedera helix Vars.	118
12	,, ,, V borealis	162
13	,, ,, ,, ,,	471
15	,, ,, ,, ,,	350
17	,, ,, ,, ,,	109
29-30	,, ,, ,, ,,	355
31	,, ,, ,, ,,	653
16	,, ,, V sarniensis	571
12	,, ,, ,, ,,	163
29-30	,, ,, V undulatiforme	270

L 29 R. 138

	Helexine	
23-25	~~Helixine~~ Sol.	2II-595
29-30	,, ,,	I36
I8	Helianthemum Breweri	370
I9	,, ,,	594
I3	,, canum X Chamaec.	309
29-30	,, polifolium	508
I8	Helianthus Xs.	286
23-25	Helichrysum Stoechas	878
9	Helleborine (s) (Epipactis)	4I8
3I	,, ,,	668
I6	,, ,,	503
I0	,, X.	508
23-25	,, leptochila	596-74I
29-30	,, ,,	370
29-30	,, purpurata	I37
23-25	,, viride forma guttatus	763
I3	,, viridiflora	336
29-30	Helleborus foetidus	I0I-332
I6	Helosciadium notes. (Apium)	409
32-33	Helpful Books.	228
32-33	Hemizonia Kelloggii	22
I9	,, pungens	660
20	,, ,,	I29
2I	,, ,,	385
23-25	,, ,,	576-728
29-30	Heracleum Sphon.	334
29-30	,, ,, V angustifolium	II8
22	Herbaria Notes by Druce.	756

B.E.R. 1905 to 1933
H. cont.

20	Hernaria hirsuta	143
32-33	,, ,,	539
14	,, ciliata V angustif.	19
29-30	Hesperis Matronalis	103-222
31	,, ,,	636
29-30	Hibiscus Trionum	339
W	Hieracium (s)	(in every No.)
5	,, ,,	174
8	,, ,,	384
9	,, ,,	461
13	,, ,,	477
14	,, ,,	150
15	,, ,,	354
16	,, ,,	492-575
17	,, ,,	114
23-25	,, ,,	774
29-30	,, ,,	24-122-230-271-358-517
31	,, ,,	559-655-831
32-33	,, ,,	472-765
32-33	,, ,, (New)	23-439
15	Hierochloa	383
31	,, borealis	676
12	Hilton. Obit.	204
29-30	Hippuris vulg.	116
31	Hitchen Botany	375
29-30	Holcus lanatus	531
29-30	,, ,, V albovirens	377
20	,, ,, V diffusa	55
15	,, mollis V biaristatus	217
17	,, ,, ,, ,,	134
18	,, ,, ,, ,,	312
29-30	,, ,, V minuta	286
23-25	,, ,, V parvif.	411

32-33 Hordeum compressum 4I

3I ,, Jubatum 846

23-25 ,, marinum V Gussoneanum 998

29-30 ,, nodosum 244

22 ,, ,, V brevisubulatum 638
23-25 ,, ,, ,, ,, 907

3I Horticultural Journal (Review) 603

23-25 Hosackia americana 566

29-30 Humulus Lupulus I36

I8 Hunnybun. Obit. 346

23-25 Huntington Plants. 949

3I Hyacinthus comosus 67I

3I ,, Romanus 57I

I4 Hydrilla verticillata 22-I67
29-30 ,, ,, 37
32-33 ,, ,, 482- 772

23-25 Hydrochaeris 963
3I ,, Morsus-ranae 57I
23-25 Hyoscyamus albus I055
32-33 Hyocyamus muticus 766
9 ,, niger V pallidus 4I6
~~I2 Hypecoum pendula 228~~

~~I9 ,, ,, 637~~

I2 Hypecoum pendula 228
I9 ,, ,, 637

29-30	Hypericum (s)	108-338
11	,, androsaemifolium	78 ~~x78x x8x~~
W(17-18)	,, Desegtangsii	55
13	,, ,,	311
20	,, ,,	116
21	,, ,,	376
23-25	,, ,,	563-~~828x~~ 868
29-30	,, ,,	224
17	,, ,, V punctatum	17
29-30	,, elatum	510
23-25	,, elodes (glabrous forma)	435
23-25	,, ,, Var.	1036
29-30	,, hirsinum	510
15	,, humifusum V ambiguum	190
17	,, ,, ,, ,,	100
26-28	,, ,, ,, ,,	391
15	,, linearifolium	259
32-33	,, montanum V scabrum	431
23-25	,, perfoliatum X quad.	434
10	,, Xs.	499
23-25	Hypochaeris erostis	580
16	,, glabra V Balb.	493
13	,, maculata	389-480
17	,, radicata V leiocephala	114
29-30	Hypopitys Hyp.	125

No description

I5 Iberis amara V arvatica I87
I9 ,, ,, V decipiens 549
W ,, ,, V ruficaulis 432

23-25 ,, odorata 29

I9 ,, umbellata 64I

23-25 Ilex aquif. V laurif. 870
29-30 ,, ,, ,, ,, I09

20 Illecebrum ~~xxxxxxxx~~ verticiliatam I43
23-25 ,, ,, I062

29-30 Illustrations of Brit. Pts. 29I

3I ~~xxxx~~ Impatiens (s) 640

29-30 ,, glandulifera ~~xx~~ I09-340

9 ,, ,, V macrochila 4I4

I2 ,, Noli-tangere 242
29-30 ,, ,, ,, 339
I5 ,, ,, ,, 260

29-30 ,, parvif. 225-339-5II

I7 Inula brit. II0

29-30 ,, Helenium II9-356
32-33 ,, ,, I03

23-25 ,, viscosa 726

23-25 Iris, citrina 2I5-598
29-30 ,, foetida V citrina 280

23-25 Irish Plants (Erica & Glyceria only) 445
3I ,, Flora ~~x~~ (Review) 575

29-30 Isatis tinct. 304-335

29-30 Isoetis echinospora 244
W ,, lacustris V longifolia 368

3I Isle of Wight Aliens ~~xxxx~~ 758
32-33 ,, ,, ,, Comital Flora 559
3I / ,, ,, ,, Flora 734

23-25 Iva xanthefolia 878

32-33 Ivel Botany 375-637

23-25	Jasione montana forma laevis	833
29-30	,, ,, Var.	125
17	,, perennis	37
23-25	Jersey Excursion. Druce & Miss Vachel	245
23-25	John OGroats to Lands End.	939
26-28	Johnston. Sir Harry, Obit.	378
31	Journal of Botany (Review)	607
29-30	Juncoides (s) (Luzula)	139
15	Juncus (s)	283-375
16	,, ,,	505-590
29-30	,, ,,	134-240-281-378-526
31	,, ,,	671
32-33	,, ,,	544
23-25	,, Notes.	899
31	,, alpinus forms	769
13	,, balticus	394-499
23-25	,, ,,	407
15	,, ,, V pseudo-inundatus	214
29-30	,, bicornis (tenuis)	373
14	,, bufonius V fascicularis	165
13	,, ,, V ranarius	395 ~~xxxx~~
12	,, bulbosus V Kochii	289
31	,, castaneus	842
8	,, compressus	398
9	,, ,,	475

I2	Juncus (cont.)	conglom. V laxus	288
32-33	,,	,, V subuliflora	43
23-25	,,	,, forma	455
I4	,,	filiformis	I64
26-28	,,	Gerardi V repens	639
20	,,	,, V gracilis	49
IO	,,	,, V salsaginosus	508
W(I6-I7).	,,	,, V sorantha	35
23-25	,,	inflexus forma	407
3I	,,	Macer (tenuis)	84I
26-28	,,	maritimus V conjestus	639
I4	,,	,, V atlandicus	27-I63
W	,,	,, ,, ,,,	460-5IO
32-33	,,	nodulosus ? Var.	30
II	,,	ranarius	35
I2	,,	,,	290
29-30	,,	tenuis	40
W	Juniperus	interm.	362

32-33 Kent Orchids 629

26-28 Kentranthus ruber Var. 307

2I Ken Wood Flora 454

23-25 ,, ,, ,, 697

3I Kerry. 786

I6 ,, Flora 5I9

I7 ,, ,, 64

3I Kintyre Flora. (Review) 6I4

26-28 Kobresia bipart. I38

23-25 Kochia scop. 209

5 Koeleria (s) I44

29-30 ,, ,, I45-378

32-33 ,, Notes 37

I8 ,, advena 3I3

32-33 ,, brit. 649

32-33 ,, ,, xxx forma glabrafolia 779

L.

23-25 Laburnum alp. & anagyriodes 177

29-30 Lactuca (s) 360

32-33 ,, alpina 532

31 ,, macrophylla 832

17 ,, Plumeiri 37

29-30 ,, saligna 231-~~xxx~~517

17 ,, ,, V Cracoviensis 37

32-33 ,, tatarica 27

31 Lagurus ovatus 677

29-30 Lamium (s) 132-236

23-25 ,, X. 53

29-30 ,, album 521

31 ~~32-33~~ ,, ,, V erubescens 597

29-30 ,, Galeobdolon 521

32-33 ,, ,, V puberulum 765

W ,, interm. 111

W ,, laevigatum 355-378

21 ,, moluccellifolium 574

~~xix~~ 15 Lancaster Flora ~~xxx~~ 290

31 Lappula. (Note) 568

29-30 ,, Lap. 127-362

9 Lapsana com. V pubescens ~~2~~ 415

21 Lapsana com. V pubescens 566

32-33 ,, ,, ,, ,, 532

29-30 Lathraea Squam. 365

23-25 Lathyrus (s) 87I
29-30 ,, ,, III- 342
23-25 ,, Aliens 568
W ,, Aphaca V affinis 532
26-28 ,, hirsutus 734
I8 ,, inconspic. 376
26-28 ,, montanus V obtusifolius 6I4
23-25 ,, ,, V variif. 769
29-30 ,, Nissolia 5I2
22 ,, odoratus 725
26-28 ,, prat. Var. 6I4
I7 ,, sylv. V latifolia I04
26-28 ,, ,, V oblongus 6I4
29-30 ,, ~~xxxxxxxx~~ tuberosus 5I2
3I ,, ,, 555
6-28 Lautaret. Le, (Plants of) xxxxx I45
29-3o Lavatera arborea 339
2I ,, cretica 376
23-25 ,, ,, I74
22 ,, punctata 72I
I9 ,, Thuringiace 645
23-25 ,, ,, 563
23-25 ,, trimestris I74
29-30 Ledum groenlandicum 36I-5I7
2I Lees. F. Arnold, Obit. 358

32-33	Leicester Flora	493
26-28	,, Plants	325
29-30	Lemna (s)	373
29-30	,, trisulca	I40
29-30	Leontodon hispidus Vars.	I23
I2	,, ,, V glab.	I65
29-30	,, nudicaule V lasioleana	5I7
I7	Leonurus Cardiaca V hirtus	49
22	,, ,, ,, ,,	852
32-33	Lepidephalus alpina	22
32-33	,, syriacus	529
I8	Lepidium (s)	369
23-25	,, ,,	558-864
29-30	,, ,,	I04-335
3I	,, ,,	637
9	,, camp. V longistylum	437
20	,, Draba Vars.	II2
3I	,, lasiocarpa V Georginum	553
29-30	,, ramosiss. V robustum	20
29-30	,, ruderale	222
I7	,, Smithii V alatos.	97
I8	,, spicatum	278
26-28	Leptaxis Menziesii	737
W	Lepturus incurv.	209
I9	,, ,,	69I
23-25	,, ,,	224
26-28	,, ,,	284
32-33	,, incurvus	II6

Remove

70-69

23-25	Linaria minor (freak)	48
23-25	,, pallida	447-731
20	,, Pelisseriana	138
26-28	,, ,,	33
29-30	,, purpurea	363
12	,, ,, X repens	270
23-25	,, repens X supina	998
23-25	,, rubrif.	586
32-33	,, Sieberi	471
26-28	,, vulg. V ecalcarata	33
26-28	,, ,, V latif.	531
26-28	,, ,, X.	580
11	,, ,, V prostrata	26
18	,, ,, V subgland.	296
26-28	Lindman. Obit.	705
15	Linnaea borealis	268-350
26-28	Linton. E.F. Obit.	708
8	,, W.R. ,,	344
29-30	Linum anglicum	339
17	,, cathart. V dunense	17-215
23-25	Lippia nodiflora	779
29-30	Listera cordata	137~~x362~~ 369
32-33	,, ,,	~~x232x~~ 223
8	Lithospermum off.V pseudo-latif.	390
15	,, ,, ,, ,, ,,	358
22	,, ,, ,, ,,,,	738
W	,, purpureum-coerlu.	57-348-546
17	,, ,, ,,	233
32-33	,, ,, ,,	534

Reverse

69

2I	Leucojam pulchellum	3I7
W	,, vernum	555
I4	,, ,,	75-I63
3I	,, ,,	670
23-25	Leycesteria formosa	877
29-30	,, ,,	II8
I9	Ligusticum scoticum	657
23-25	,, ,,	876
29-30	Ligustrum vulg. V aureum	5I8
29-30	Lilac. (Monograph)	69
I6	LiLium pyreniacum	505
29-30	,, ,,	I39-526
I9	Limnanthes Douglasii	646
23-25	,, ,,	I76
I7	Limonium (s)	II6
29-30	,, binervosum	5I7
29-30	,, humile	36I
29-30	,, lychnif.	23I
I6	,, lychnif. V corymb.	494
32-33	,, paradorum	I62
23-25	,, transwalliana	445
29-30	,, ,,	36I
9	,, vulg. V pyramid.	466
29-30	Limosella aquatica	363
I6	Linaria (s)	496
I7	,, ,,	II8
29-30	,, ,,	I28
I4	,, arenaria	70
26-28	,, bipart.	749
23-25	,, cymbal. V alba	~~xxxx~~ 202
26-28	,, ,, V pallidor	580
29-30	,, Lin. X repens	363

29-30 Littoralis unif. 237

32-33 Liverpool Botany 490

20 Lobelia urens I34
23-25 ,, ,, 883
29-30 ~~xxxxx~~ ,, ,, 23I

32-33 Local Floras 399

I8 Lolium linicola 409

29-30 ,, multiflorum 532

I5 ,, perenne V angustif. 2I8

29-30 ,, temulentum I46

I2 ,, ,, V arvense 299

I8 Lonas inodora 287

26-28 London Aliens 444

32-33 Lonicera Periclym. V quercifolia 529

I7 Lotus (s) 2I7
29-30 ,, ,, 259-34I-5I3

I5 ,, angustissimus X (Davyae) I94

26-28 ,, corniculatusV arvensis, etc. 304
I8 ,, ,, Vars incanus & tenuif. 375
~~xx~~ I3 ,, ,, V crassif. 465

I9 ,, hispidus V major 554
26-28 ,, ,, ,, ,, 733
26-28 ,, ,, V sauveolens 304

23-25 ,, siliquosus 566-7I2
29-30 ,, ,, II0-226-34I

23-25 ,, tenuis Vars. 767
I5 ,, ,, (2Vars) I93
26-28 ,, ,, V sabilicola 393

I4 ,, uliginosus. Var. I36

26-28 ,, ,, V transiens 22

2I	Ludvigia pal.	382
I7	,, ,,	I07-225
23-25	Lupinus angustif.	564
I9	,, polyphyllus	553
32-33	Luzula albida	453-545
22	,, arcuata	750
32-33	,, Borreri (X)	772
W	,, Forsteri X vernalis	25
23-25	,, nemorosa V rubellum	600
I9	,, niveum	683
I8	,, pallescens	338
20	,, pilosa X Fosteri	I5I
23-25	,, ,, ,, ,,	600
29-30	,, sylvaticum V latifolium	526
I6	Lychnis (s)	405
29-30	,, ,,	337
8	,, alba X dioica	363
23-25	,, ,, forma (green flowers)	I72
23-25	,, ,, V rosea	765
I6	,, dioica X alba	476
I4	,, ,, Var.	63
26-28	,, Githago V nicaeensis	529
II	,, Preslii (X)	I3
I2	,, ,, ,,	235
23-25	,, ,, ,,	377
29-30	,, ,, ,,	I07

15	Lycopodium annotinum V latifolium					223
15	,, complanatum (Notes)					219
29-30	Lycopus eur. V glabrescens				131-366	
29-30	Lysimachia (s)			126		
31	Lysimachia (s)					659
23-25	,, punctata				884	
29-30	,, thyrsiflora			361		
23-25	,, vulg. V maculata			396		
18x	,, ,, ,, ,,		290			
23-25	Lythrum Hyssopif.			184-389-572		
20	,, ,,			124		
21	,, ,,				382	
26-28	,, ,,		115			
31	,, ,, (?)				652	
23-25	,, meonanthum			184-875		
23-25	,, Salicaria V alternatifolium			436		

I8	Madia sativa	383
I9	,, ,,	660
23-25	,, ,,	576
26-28	Majorca Is. Notes	55I
I6	Malva (s)	477
I7	,, ,,	I00
I8	,, ,,	373
23-25	,, ,,	563-868
26-28	,, ,,	39I
29-30	,, ,,	I08-339-5II
3I	,, ,,	639
32-33	,, ,,	52I
I2	,, acutiloba	240
23-25	,, ,,	I74
23-25	,, ambigua	996
23-25	,, moschata V laciniata	379
32-33	,, neglecta X parvif.	2I
I5	,, nicaeensis	259
29-30	,, ,,	224
20	,, parvif.	I6
I8	,, ,, V microcarpa	280
20	,, pusilla	I6
I8	,, rotundif. V brachypetala	280
I2	,, sylv. V angustiloba	I56
23-25	,, ,, V lasiocarpa	563
29-30	,, ,, V violascens	20
3I	,, ,, forma caerulescens	554
29-30	Marrubium vulg.	I32
I9	Marshall. Obit.	6I9

26-28	Mathiola bicornis	723
29-30	,, incana	102
23-25	,, Oxyceras	26
18	,, tristis	367
18	Matricaria decipiens	384
26-28	,, ,,	743
29-30	,, ,,	517
21	,, phaeocephala	564
22	,, sauveolens V occid.	731
29-30	Meconopsis cambrica	101
17	Medicago (s)	102
18	,, ,,	374
23-25	,, ,,	177-870
26-28	,, ,,	21
29-30	,, ,,	110-340
31	,, ,,	640
29-30	,, Aliens	259
29-30	,, arabica	225
32-33	,, Falcata	393
29-30	,, ,, V tenuifoliata	512
31	,, hispida	825
21	,, ,, V confinis	553
14	,, lupilina formas	135
15	,, ,, V eriocarpa	335
26-28	,, ,, V integristupula	611
26-28	,, ,, forma umbellata	611
20	,, ,, V unguiculata	119

29-30 Medicago minima 5I2

I9 ,, ,, V longiseta 648

I0 ,, ,, V mollissisima 499

22 ,, ,, V recta 723

23-25 ,, murex 767

32-33 ,, orbicularis 93

32-33 ,, sativa 393

I4 ,, sylv. V procumbens I35

26-28 ,, trunculata II0

8 ,, Willdenowiana 352

I3 Melampyrum (s) 487
I5 ,, ,, 206
I7 ,, ,, 40-66
I2 ,, ,, I69
29-30 ,, ,, 32
32-33 ,, ,, I63

26-28 ,, prat. V laurif. 582

29-30 ,, ,, V hians I30

32-33 ,, ,, V paludosum 443

9 ,, ,, V purpureum 467
I3 ,, ,, ,, ,, 330

I9 ,, ,, V ~~[illegible]~~ scotianum 67I

I3 ,, sylvaticum 330

29-30 Melilotus (s) 340
3I ,, ,, 825
I0 ,, Vars. 500

3I ,, arv. V unguiculata 554

29-30 ,, indica II0

23-25 ,, ,, V Thommasini 767

I7 ,, sicula I03

23-25 ,, sulcata 870

29-30 Melissa officinalis 131

W Melittis Melissophyllum V grandiflora 306

29-30 Melvill. Cosmo, Obit. 94

23-25 Members. List of, 5
26-28 ,, ,, ,, 5
29-30 ,, ,, ,, 5
32-33 ,, ,, ,, 5

5 Mentha (s) 181
8 ,, ,, 393
13 ,, ,, 332-489
15 ,, ,, 276
16 ,, ,, 498-583
17 ,, ,, 120-241
23-25 ,, ,, 240-449-890-1059
26-28 ,, ,, 128-213-752-809
29-30 ,, ,, 130-234-365-521
31 ,, ,, 663-837
32-33 ,, ,, 443-537-767
32-33 ,, ,, (New) 28-107

29-30 ,, Notes. ~~xxx~~ 201-421

32-33 ,, X. (niliacea) 479

12 ,, Vars. 170

8 ,, alopecurus X rotundif. 337

8 ,, Bauhini etc. 392

23-25 ,, Briquetianae Notes 613

26-28 ,, piperita V subcordata 582

W ,, Pulegium V erecta 22

29-30 ,, rubra X verticill. 33

15 Mercuralis per. V ovata 370

26-28 ,, ,, V Salisb. 317

23-25 Mesembryanthemum (s) 77I

29-30 Mibora minima 377-53I

I4 Middlesex Aliens 83
26-28 ,, ,, 444

32-33 Miller. Obit. 5I0

29-30 Mimulus gutt. I28-363

2I ,, ,, V Youngiana 298

8 ,, Langsdorfii 39I

W ,, luteus 57

I3 ,, moschatus 486
I6 ,, ,, 496
I7 ,, ,, II9
26-28 ,, ,, I27-749
29-30 ,, ,, I28-363

32-33 Mints that Sport. 589

W Molinia caerulea V major 209

W ,, ,, V subspicata 367

23-25 Moneses uniflora I98-396
3I ,, ,, 659

23-25 Monolepis Nuttalliana 593

8 Montia Notes 33I

I7 ,, ,, (intermedia, etc.) 2I4

I9 Moricandia arvensis 640

3I ~~Morrocco~~ Morroco. 793

29-30 Moss. C.E. Obit. 326

I4 ,, Dr. (Notes on many plants) 20

23-25 Muehlenbeckia complexa 78I

29-30 Muscari racemosum 372

3I Museums. Journal of (Review) 580

I5	Myosotis (s)	358
3-25	,, ,,	886
3I	,, ,,	667
2-33	,, Notes	388
29-30	,, arrvensis	5I8
23-25	,, ,, V stricta	777
8	,, Balbisii	390
26-28	,, brevif.	33-408-748
29-30	,, caespitosa forma	232
I7	,, collina V Lebelii	38
I7	,, Mittenii	II8
29-30	,, palustris & Vars.	I57
29-30	,, ,, V strigosa	I27
29-30	,, serotina	30
23-25	,, sicula	47
26-28	,, ,,	267
23-25	,, strig.	I054
26-28	,, ,,	408
26-28	,, sylvatica	I25
29-30	,, ,,	362-5I8
W	,, versic. V dubia	502
32-33	,, ,, ,, ,,	44I
29-30	,, ,, Vars.	275-5I8
26-28	,, ,, V Lloydii	580
3I	,, ,, V lutea	834
32-33	Myosurus minima	5I5
32-33	Myriophyllum (s)	527
32-33	,, Species	6I9

8 Naias flexilis 400
I4 ,, ,, 76-I67
32-33 ,, ,, 773

29-30 Narcissus (s) I38

32-33 ,, (New) 30

29-30 ,, biflorus 372

I7 ,, poeticus I30

29-30 ,, pseuda-Nar. forma 38

23-25 Nasturtium off. V microphyllum I66

32-33 ,, pal. V fallax 2I

W ,, sylv. V tenuif. 33I

29-30 Nepeta Cataria I3I

29-30 ,, hederacea V major 279

32-33 Nigella damascena 576

29-30 Nitella opaca 379

29-30 ,, transl. 244

23-25 Nomenclature Notes (Druce) I69-9I9
23-25 ,, (Criticism of L.Cat.) 925

23-25 Norfolk Plants (B.Reynolds) 252

32-33 Northamptonshire. Additions to Fl.of, 57I
3I ,, Flora 582
29-30 ,, ,, (Review) 269

3I Norway Botany 790
22 ,, ,, 786
23-25 ,, ,, 978

29-30 Nymphea alba. Notes. 438

I0 ,, lut. V intermedia 538
I9 ,, ,, ,, ,, 636

29-30 Nymphoides Nym. 36I

23-25 ,, peltatum 963

-33 Obituaries 82- 508

I OEnanthe crocata forma 557

3 ,, ,, V tenuif. 285
-30 ,, ,, ,, ,, II7

I ,, fistulosa V Tabernaem. 2I
5 ,, ,, ,, ,, 268
8 ,, ,, ,, ,, 38I
9 ,, ,, ,, ,, 657

7 ,, Lachenalii V approximata 3I

-28 ,, ,, V minima 306

-28 OEnothera (Key) 6I7

3 ,, (s) 365
-30 ,, ,, 354

-25 ,, cathariensis 436

,, Lamark. I7I
,, ,, I9I

-28 Omphalodes liniodea 748

-30 ,, Omp. (verna) I27

8 Onobrychis alba 28I

0 ,, viciif. I20

I3 Ononis reclinata 464
I8 ,, ,, 374

I7 ,, repens V horrida I02

5I ,, ,, V maritima 554

5-25 ,, ,, formas I036

5-28 ,, spinosa V procurrens 2I
9-30 ,, ,, ,, ,, 340

29-30 Onopordon (s) 357
29-30 ,, Acanthium I2I
23-25 ,, Acanthium V viride 578

3I ,, Tauricum 655

20 Ophioglossum vulg. V polyphyll. I62
5 ,, ,, ,, ,, I9I

29-30 Ophrys (s) I37-37I

I0 ,, apifera V flavescens 508
I8 ,, ,, V Muteliae 309
I7 ,, ,, V Trollii I29

3I Orchidaceae 669

3I Orchids by Godfrey (Review) 602

3I ,, (Long Paper) 725

9 Orchis (s) 4I9
I6 ,, ,, 503-588
I7 ,, ,, I28-249
23-25 ,, ,, 323-597-833
29-30 ,, ,, 37-I37-280-370
32-33 ,, ,, II0-~~xx~~ 487-62I-670

I3 ,, Xs. 338
26-28 ,, ,, 638-685
32-33 ,, ,, 364

I4 ,, Notes. 26-99
I5 ,, ,, 2II
I7 ,, ,, I49
2I ,, ,, 3I4-432
23-25 ,, ,, 64-322-784-896
29-30 ,, ,, 442
26-28 ,, ,, (France) 493
26-28 ,, ,, (Hampshire) 79I

I0 ,, cruenta 52I

26-28 ,, incarnata V dunensis 589
20 ,, ,, ,, ,, I48

I5 ,, hircina 28I
23-25 ,, ,, 2I5-598
32-33 ,, ,, II7-543

I2 ,, maculata X Hab. viridis I79

I0 ,, militaris 52I

6-28 Orchis Morio V Bartlettii 638

3-25 ,, ,, V Churchillii 2I4-597

23-25 ,, OKellyi 2I5-454
29-30 ,, ,, 526

I7 ,, praetermissa (Plate) I
I9 ,, ,, 577-608
6-28 ,, ,, 678

2I ,, ,, V pulchella 579

9-30 ,, purpurella notes 203

20 ,, ,, 86
2I ,, ,, 579
3-25 ,, ,, 2I4

3I Orkney (Additions) 728

-33 Origanum vulg. V virescens ~~I08x~~ I07

29-30 Ornithogalum (s) 372

I7 ,, nutans 250

6-28 ,, pyren. I37

I3 ,, umbellatum V angustif. 342

8 Ornithopus compressus 375

29-30 ,, perpusillus 34I

26-28 ,, ,, V glaber 23

I2 ,, pinnatus 244
3-25 ,, ,, I79-38I

29-30 ,, roseus II0

9 Orobanche (s) (Alderney) 468
I4 ,, ,, 7I
29-30 ,, ,, I30-364

29-30 ,, Notes 288

29-30 ,, alba V bidentata 278

I5 ,, amethystea 276
I7 ,, ,, I20
W ,, ,, 349

I8 ,, hedera V monochroa 298

I6 ,, major V ~~xitrinx~~ citrinis 424

20 ,, minor V flavescens I40

I2 ,, picridis 2I5

23-25 ,, reticulata V pallidiflora 778

8 ,, ,, V procera 334
I6 ,, ,, ,, ,, 497
I8 ,, ,, ,, ,, 392
22 ,, ,, ,, ,, 74I
26-28 ,, ,, ,, ,, 4II

23-25 ,, Ritro V hypochaeroides 399

32-33 Orubus vernus 2I

29-30 Oryza Oryziodes I44

9-~~X~~30	Oxalis (s)							299	
W	,,	Acetocella V subpurpurascens						284	
II	,,	,,	,,	,,		79			
2I	,,	,,	,,	,,				377	
I8	,,	,,	,,	,,	373				
I9	,,	,,	,,	,,					646
22	,,	,,	,,	,,	722				
23-25	,,	,,	,,	,,					869
26-28	,,	,,	,,	,,				~~231~~	73I
29-30	,,	,,	,,	,,	I09				
I6	,,	corniculata V minor						406	
I9	,,	Dillenii					553		
23-25	,,	latifolia					996		
26-28	,,	,,			392				
3I	,,	rosea				554			
32-33	,,	semiloba				468			
29-30	,,	stricta			I09				
23-25	Oxford Bot. Gdns. History of					335			
26-28	Oxfordshire Flora.					334			
29-30	Oxycoccus Oxy.				I25				
29-30	,,	,,	forma		274				
I3	,,	quadripetala V microcarpus			327				
I8	,,	,,	V pyriformis		289				
32-33	,,	,,	(2 forms)		765				

23-25 Palestine Tour. (Druce) 966

I8 Panicum (s) 3II
29-30 ,, ,, 376

I5 ,, Crus-Galli V Hosti 383

29-30 ,, glabrum 242

23-25 ,, maximum 790-I069

29-30 Pansy Notes. I65-457

9 Papaver (s) 428
29-30 ,, ,, I0I-332-507
3I ,, ,, 634

22 ,, Argemone V contigua 60I
26-28 ,, ,, V glabratum 528

32-33 ,, pinnatifida 2I

I8 ,, Rhoeas (Key) 274

23-25 ,, ,, Vars. 26-763-86I

I8 ,, ,, V caudatif. 274

I2 ,, ,, V chelidonioides I5I

I5 ,, ,, V conicum I86

2I ,, ,, V Hoffmannianum 37I

5 ,, ,, V Pryorii I53

~~3I ,, ,, umbrosum 552~~
~~32-33 ,, ,, 820~~

29-30 ,, ,, forma rosea I6

II ,, ,, X dubium 67
I8 ,, ,, ,, ,, 367

29-30 ,, somniferum X Rhoeas 258

3I ,, umbrosum 552
32-33 ,, ,, 820

32-33 Papers on British Flora 58

29-30 Paris quadrifolia 372-526

6-28 Parnassia palustris V condensata ~~XXXX~~ 737
I2 ,, ,, ,, ,, I60

3-25 Peebleshire Flora 726

I6 Peplis Portula V longidentata 569

29-30 Petasites (s) II6

23-25 ,, albus 577-879
I5 ,, ,, 270
22 ,, ,, 73I
29-30 ,, ,, I20

29-30 ,, fragrans I20

29-30 Peucedanum (s) II8

29-30 ,, graveolens 354

29-30 ,, officinale 229-5I6

I5 ,, Ostruthium 350

(I6-I7) ,, sativum Var. I9
23-25 ,, ,, ,, 437 ~~XXXX~~

23-25 Phalaris (s) 903
3I ,, ,, 676

W ,, minor 4I3
20 ,, ,, I57
23-25 ,, ,, ~~XXXX~~ 60I

W ,, paradoxa 208
20 ,, ,, I57

29-30 ,, ,, V praemorsa 530

32-33 Phleum graecum 549

29-30 ,, intermedium 144-242

18 ,, Michelii 407
31 ,, ,, 573

18 ,, paniculatum 407
20 ,, ,, 157

32-33 ,, phleoides 454

17 ,, pratensis Vars. 54
29-30 ,, ,, ,, 376

23-25 ,, ,, V interm. 602
18 ,, ,, ,, ,, 407

26-28 ,, ,, V longiaristatum 423

29-30 ,, ,, V nodosum 530

15 Phragmites (s) 217

29-30 ,, Vars. 377

17 ,, flavescens 134
23-25 ,, ,, 603
32-33 ,, ,, 549

19 ,, vulg. Vars. 689

18 ,, ,, V ramosa 312

23-25 Physalis Fendleri 446

32-33 ,, pubescens 27

22 Phyteuma nigrum 614

8 ,, spicatum 389

29-30 ,, ,, V coeruleum 360

11 Phytogeographical Ex. through Brit. Is. 60

23-25 Phytolacca americana 209-892

26-28	Picris Spreng.		744
~~12x~~	Pilularia globulifera		79
23-25	,, ,,	I073	
26-28	,, ,,		I44
29-30	,, ,,	379	
I9	Pimpinella Anisum		560
29-30	,, Saxif. Vars.		354
26-28	,, ,, V ovata		6I7
I7	,, ,, V poteriif.		I08
23-25	,, ,, ,, ,,	77I	
29-30	,, ,, ,, ,,		II7
29-30	Pinguicula X.		I30
2I	,, grandif. X vulgaris		30I
29-30	,, vulgaris		365
29-30	.. ,, V alpicola		I30
I5	,, ,, V bicolor		363
I2	Piquet. Obit.		205
32-33	Plagiobotrys stipulatus		534

9	Plantago (s)		418
I4	,,	,,	I56
I5	,,	,,	207
I6	,,	,,	499
I7	,,	,,	I23
20	,,	,,	42
29-30	,,	,,	I33
3I	,,	,,	665
I2	,,	Vars.	I78
3I	,,	forms	570
29-30	,,	Coronopus	237
23-25	,,	,, forma	779
29-30	,,	Cynops	367
2I	,,	Edmondstonii	574
I2	,,	Hudsoniana	I70
I6	,,	,,	499
23-25	,,	Indica	89I
29-30	,,	lanceolata Notes	46I
2I	,,	,, V anthroviride	30I
32-33	,,	,, V elliptica	I08
W	,,	,, V major	356
I0	,,	macrorrhiza	583
II	,,	,,	27
I0	,,	maritima Vars	507
W	,,	,, V proceriar	356
2I	,,	,, V pubescens	30I
23-25	,,	major V bracteata	779
26-28	,,	,, ,, ,,	634
22	,,	,, V brachystachya	743
23-25	,,	Psyllium	207
I8	,,	sphaerostachys	306

32-33	Plant Nomenclature	300
26-28	,, Notes. by Drabble	528-798
23-25	Platanus formas	452
23-25	,, orient.	895
3I	Pneumaria maritima	660-834
I8	,, virginica	388
5	Poa (s)	386
6	,, ,,	509
7	,, ,,	I35-257
-30	,, ,,	I45-378
3I	,, ,,	667-845
-33	,, ,,	456
I2	.. annua V reptans	I85
I2	,, Chaixii	296
I8	,, ,,	408
I9	,, ,,	689
I8	,, exilis	3I4
W	,, glauca	I20
I2	,, irrigata	I8I
2-33	,, nemoralis V firmula	4I
W	,, ,, V glaucantha	I20
I2	,, ,, V subuniflora	297
9	,, palustris V effusa	42I-48I
I2	,, ,, ,, ,,	296
W	,, ,, ,, ,,	367
-30	,, pratensis Vars.	286
W	,, ,, V angustif.	320
I9	,, ,, V latifolia	584
20	,, ,, V ,,	I58
I7	,, ,, V planiculmis	56
6-28	,, subcoerulea Notes	I79
22	,, trivialis Vars.	636
2I	,, ,, V septentron.	326
23-25	,, ,, V stricta	I070

29-30 Polemonium coeruleum 126

29-30 Polycarpon tetraphyllum V densum 224

17 Polygala (s) 98
23-25 ,, ,, 561
29-30 ,, ,, 336

11 ,, Babingtonii 12

14 ,, Ballii 125

16 ,, calcaria 474

21 ,, dubia 375
23-25 ,, ,, 172-866

9 ,, grandiflora 440

29-30 ,, serpyllifolium V decora 20

29-30 ,, vulgare 224

29-30. Polygonatum multiflorum 139

13 ,, verticillatum 498

32-33 Polygonums (Review) 486

17 ,, (s) 125
23-25 ,, ,, 55-780-892
29-30 ,, ,, 135-237-522
31 ,, ,, 666
32-33 ,, ,, 444-769

29-30 ,, Xs. 368
29-30 ,, minus X Persicaria 35

12 ,, notes on heterophyllum & aequale 177

32-33 ,, amphibium V glandulosum 541

23-25 ,, Bellardi 893-1062
32-33 ,, Bungeanum 481
W ,, calcatum 359

31 ,, Lapathif. (Review) 589
14 ,, ,, V. (?) 159
23-25 ,, ,, Var. 781
W ,, minus V subcontiguum 552
32-33 ,, oxyspermum 43
32-33 ,, pennsylvaticum 481
23-25 ,, Persicaria V ~~xxxxxix~~ agreste 1062
32-33 ,, ,, V hirticaule 481

8 Polypodium vulg. V cambricum 406
29-30 ,, ,, V serratum I47
23-25 Polypogon (s) I069
23-25 ,, littoralis 602
32-33 ,, ,, 549
29-30 ,, monspeliensis 242-530
I0 Polystichum aculeatum V lonchitioides 5II
29-30 ,, angulare 533
I0 ,, ,, V dubium 5II
29-30 ,, setiferum V ambilobum 379
I4 Populus Xs. 20
I7 ,, ,, 248
I0 ,, notes 524
23-25 ,, ,, I065
29-30 ,, alba 526
29-30 ,, canescens 240-526
32-33 ,, ,, X tremula 542
I5 ,, nigra (& illustrations) 209
I6 ,, ,, 502
I7 ,, ,, I28
32-33 ,, ,, V ~~xxxxxxxx~~ viridis 542
32-33 ,, regenerata 482
26-28 ,, tremula V Brownii 36-589
I3 Portugal Flora 355
W ~~23x25~~ Portulaca oleracea 488
I6 ,, ,, 477
23-25 ,, ,, 868
26-28 ,, ,, 729
32-33 ,, ,, 52I

29-30	Potamogeton	Notes & Key	380
8	,,	(s)	400
9	,,	,,	476
I3	,,	,,	395-50I
I4	,,	,,	76-I66
I5	,,	,,	224-284-377
I6	,,	,,	506-59I
I8	,,	,,	3I0
20	,,	,,	50-I5I
22	,,	,,	632
23-25	,,	,,	66-2I7-600-652-787-900
29-30	,,	,,	I40-240-284-373-526
3I	,,	,,	672-842
32-33	,,	,,	45I-483-545-773
32-33	,,	(New)	3I-5I-7II
I9	,,	Notes	7^I
26-28	,,	,,	646
29-30	,,	,,	I48
32-33	,,	Xs.	486
I0	,,	alpinus	598
32-33	,,	,, V Palmeri	572
32-33	,,	Bennettii	~~I8I~~ II9
I0	,,	Cooperi (X)	599
I9	,,	Drucei	7I3
23-25	,,	foliosus	66
29-30	,,	lucens X perfoliatus	40
26-28	,,	natans	80I
I9	,,	panormitanus	58I
23-25	,,	,, V minor	900-I067
8	,,	pensylvanicus	399
W	,,	,,	205
23-25	,,	pusillus V lacustris	I067

Potentilla (s) 342
,, ,, 448
,, ,, 3I6
30 ,, ,, II4-35I
-30 ,, erecta X procumbens 5I3
,, hirta 50
,, inclinata 288
25 ,, ,, 387
,, mixta 440
-28 ,, palustris V villosa 395
2 ,, reptans V microphyll. 727
-25 ,, ,, V mollis I82
4 ,, verna I39
I3 Poterium (s) 466
-25 ,, canadense 569
I2 ,, platylophum 247
330 ,, ,, II5
,, stenophy. 838
Prangos Uechtrizii ~~xi24~~ ~~824~~ 829
-33 ,, ,, 22

32-33 Primula Xs. 372

I7 ,, farinosa V albiflora 38

2I ,, ,, V littoralis 296

I3 ,, scotica 483
3I ,, ,, 659

26-28 ,, veris V rubra 747

26-28 ,, ,, X vulgaris 747

26-28 Prionites Falcaria 739
29-30. ,, ,, II7-354

29-30 Prunella laciniata 366

I7 ,, vulg. V dunensis 48

I5 ,, ,, V nemoralis 206
I7 ,, ,, ,, ,, I2I
29-30 ,, ,, ,, ,, 366-52I

32-33 ,, ,, V pallida 486

I5 Prunus (s) 263
29-30 ,, ,, 342

23-25 ,, domestica X insititia 38I

29-30 ,, lusitanicas & Var. 20

8 ,, sepivaga (domestica) 332

23-25 Psoralea bituminosa 7I3

23-25 Pteris aquilina V crispa 4I3

I2 ,, lanuginosa I85

32-33 Publications (Review) 46- 488

I8 Pulicaria dysinterica V discoidea 286

3I ,, Pulicaria 654

23-25 ,, uliginosa V hispanica 37

8 Pulmonaria angustif. 390

29-30 ,, longifolia 5I8

32-33 Pyrola media 533

29-30 ,, rotundifolia 36I

W ,, ,, V arenaria 56
3-25 ,, ,, ,, ,, 729

23-25 ,, ,, V maritima 729
32-33 ,, ,, ,, ,, 659

I5 ,, secunda 356

8 Pyrus (s) 375
9 ,, ,, 456
9-30 ,, ,, II5-353
3I ,, ,, 65I-828

8 ,, cordata 375

9-30 ,, communis V Deseglisei 5I4
32-33 ,, Cydonia 753
32-33 ,, Malus V paradisiaca 526

29-30 ,, ,, V sylvestris. 226

I7 ,, pyraster V Deseglisei 222

W ,, scandica 234

XXXXXXXXXXXXX
Q.

3I Quercus Cerris V laciniata 84I

3-25 ,, Ilex Notes. 782

29-30 Radicula (s) I02

3I ,, amp. V auriculata 634
29-30 ,, islandica 22I
,, forma laxa I9

3I ,, Nasturtium 634

23-25 ,, ,, (Medical) 764

I3 ,, sylv. 307
29-30 ,, ,, 333

29-30 Radiola Radiola I09-339

I6 Ranunculus (s) 555
29-30 ,, ,, I0I-22I-33I-507
3I ,, ,, 632-633-820
32-33 ,, ,, 88-5I5

2I ,, Notes. 440

29-30 ,, acer. Notes. 473

8 ,, acris. Vars. 358

23-25 ,, ,, V Friesianus 706

23-25 ,, ,, V minutiflorus 24-553
29-30 ,, ,, ,, ,, I00

I9 ,, ,, V Steveni 635

2I ,, Aleae (? dunensis) 549

I8 ,, aquaticus. (Notes & Key) 423

23-25 ,, arvensis V inermis 553

29-30 ,, auricomus V cervicornix I8

2I ,, ,, V incisifolius 549

26-28 ,, ,, V reniformis 722
29-30 ,, ,, ,, ,, 33I

3	Ranunculus bulbosus		444
32-33	,, ,, & Vars.		242
5-25	,, ,, forma		762
3-25	,, ,, V dunensis		I64
I5	,, ,, ,, ,,	309	
3-25	,, Ficaria	24-I65-763	
I7	,, ,, V sinuata		94
6-28	,, Flammula. Vars.		722
6-28	,, fluitans V Bachii		723
2	,, Hiltoni (X)		227
	,, ,, ,,	38I	
-30	,, Lingua V glabratus		33I
I6	,, ,, V hirsutus		553
9	,, ,, ,, ,,	635	
8	,, Nathorstii		365
I4	,, ophioglossifolius		59
3I	,, parviflora		620
I8	,, peltatus V lacerus		272
I5	,, repens. Vars.		309
23-25	,, sceleratus V fasciatus		762
26-28	,, ,, V subindivisa		I03
29-30	,, sphaerospermus		I8
29-30	,, trichophyllus Vars.		I8
I0	,, valdepubens (? dunensis)		495

3I Raphanus Landra forma parvifolius 553

3I Rapistrum rugosum V venosum 553

3I Report. (General) 540
32-33 ,, ,, I7

I6 Reseda (s) 559

29-30 ,, alba I05-335

2I ,, ,, V Lecoqii 552

I6 ,, inodora 403

W ,, lutea. Vars. 433

I9 ,, ,, V longif. 64I

I4 ,, ,, V pulchella I2I
I5 ,, ,, ,, ,, I87

I3 ,, Phyteuma 454

8 ,, stricta 360

32-33 Review of Godfreys Orchids. 72

W Rhamnus Alaternus 489

I3 ,, catharticus 463

29-30 ,, Frangula forma 20

29-30 Rhinanthus (s) 364

I8 ,, Alectorolophus 297

29-30 ,, Crista-Galli X 234
29-30 ,, ,, ,, V ramossimum 32
2I ,, ,, ,, V robustus 300

I5 ,, Gardéneri (X) 205

W ,, major 6I-548. (I6-I7) 26
I6 ,, ,, 497-582
23-25 ,, ,, 398

I7 ,, ,, X minor (?-) 240

29-30 ,, monticola I30

3I ,, stenophyllus 662

29-30 Ribes nigrum 353 ~~xxx~~

20 ,, rubrum 69

29-30 ,, Una-crispa II6

20 Rogers. Moyle, Obit. I05

32-33 Roemeria hybrida 5I6

5 Rosa (s) I67
8 ,, ,, 369
9 ,, ,, 449
I3 ,, ,, 323-467
~~xxx~~ ,, ,, I40
I5 ,, ,, I95-343
I6 ,,,,,, 484
I7 ,, ,, 220
I8 ,, ,, 377-50I
I9 ,, ,, 8I9
20 ,, ,, 2I-225

29-30 ,, ,, 22-II5-227-263-35I-5I3

3I ,, ,, 65I-827

2-33 ,, ,, 99-I64-524-759

2I ,, Notes by Almquist 278

23-25 ,, ,, (Corrected names) 667

26-28 ,, ,, 533

32-33 ,, (Revision of) I60

26-28 ,, Ciphiana 24

32-33 ,, micrantha V Burgessi 468

I2 ,, Rothschildii I57

3I Roses in Angus 695

26-28	Ross. West,	Flora	(After)890
9	Rouy. Flore de France.(Scroph. & Labiatae)		426
5	Rubus (s)		I6I
8	,, ,,	366	
9	,, ,,		446
I4	,, ,,	I37	
I5	,, ,,		I94-263-337
I6	,, ,,	564	
I7	,, ,,	I05	I8I-2I8
23-25	,, ,,	I046	
29-30	,, ,,	2I-III-227-260-342-423-5I3	
3I	,, ,,		64I-826
32-33	,, ,,	434-485-523-753	
23-25	,, Notes.		7I4
26-28	,, ,,		782-85I
26-28	,, ,,	(Kent & Surrey)	499
20	,, ,,	(Sudre Monograph)	87
32-33	,, New,		42-94
3I	,, (Watsons Paper)		76I
W	,, Bucknalli	50-	535
32-33	,, dasycoccus		2I
I2	,, glareosus	I60	
W	,, ,,		392-49I-534
32-33	,, luoplus		2I
29-30	,, ideaus X ulmif.		20
23-25	Rugby Plants.		84

B.E.R. 1905 to 1933
~~xxx~~ R. cont.

15	Rumex (s)		208
16	,, ,,	501	
17	,, ,,		126
29-30	,, ,,	135-239	
31	,, ,,	839	
32-33	,, ,,		770
23-25	,, Notes	57-781-893	
13	,, Xs.		495
29-30	,, ,,	36	
32-33	,, ,, & Var.		29-109
26-28	,, ,, etc.	275-416	
12	,, X. Sagorskii		282
23-25	,, X. Weberi		594
26-28	,, ,, ,,	416	
23-25	,, arifolium	58-1063	
29-30	,, elongatus		35
22	,, Friesii		853
23-25	,, longif. X obtusif.		781
12	,, rupestris		282
23-25	,, obovatus		61
26-28	,, ,,	131	
23-25	,, obtusif. X pulcher		595
W	,, scutatus		23
23-25	,, ,, V ~~xxxxxxxx~~ hastilis		60
29-30	,, sanguineus		523
29-30	Ruppia rostellata		528
29-30	Ruscus aculeatus forma		372
32-33	Rutland Flora.		493
29-30	Rynchospora fusca		375-~~521~~ 529

~~xii~~ 9	Sagina (s)		~~xii~~ 442
I4	,,	,,	I29
I6	,,	,,	476
I7	,,	,,	2I3
29-30	,,	,,	I08-338
II	,,	Monograph	I4
I7	,,	Notes.	I90
I3	,,	X.	374
I6	,,	apetala Vars.	56I
W	,,	ciliata V ambigua	436
I2	,,	filicaulis	237
W	,,	nivalis	386
I4	,,	nodosa V glandulosa	I29
II	,,	procumbens V maritima	77
I3	,,	,, V pentamera	3I0
26-28	,,	Reuteri notes	46I
I2	,,	,,	237
I7	,,	,,	I00
8	,,	,, V glabra	330
9	,,	,, ,, ,,	442
~~xix~~ I4	,,	scotica	63
8	Sagittaria	V iscana	338
22	,,	,, ,,	857
3I	,,	sag.	57I

W Salicornia (s) 506
I0 ,, ,, 585
I6 ,, ,, 50I
I7 ,, ,, 5I-I25

29-30 ,, disarticulata 368

I3 ,, dolichostachya 334
29-30 ,, ,, 368

I7 ,, ,, X. etc. I25

9 Salix (s) 474
I5 ,, ,, 280
I7 ,, ,, 248
23-25 ,, ,, 405-895
26-28 ,, ,, 588
29-30 ,, ,, I36-239-320-369-525

3I ,, ,, 668

32-33 ,, ,, 450-542-771

23-25 ,, Notes. 404-983-I065

32-33 ,, (Revision of Names) 367

3I ,, alba V stenophylla 84I

32-33 ,, atrocineria X nigrácans 29

32-33 ,, cineria 482

23-25 ,, daphnoides Vars. 453

29-30 ,, lanata X lapponum 36

32-33 ,, Myrsinites V procumbens II0

29-30 Salmon. C.E. Obit. 96

29-30 Salsola Kali 368

29-30 ,, ,, & Vars. I34

5 ,, tenuif. I46-I83
I7 ,, ,, (PESTERFER) 5I
20 ,, ,, I45
23-25 ,, ,, 209-892
29-30 ,, ,, 52I

18 ,, Tragus 396

8	Salvia (s)		338
I6	,, ,,	426	
I8	,, ,,		394
29-30	,, ,,	~~x355x~~	366
32-33	,, Bertolonii		538
I6	,, Marquandii		584
23-25	,, nemorosa		206
I9	,, ,,	673	
29-30 ~~xx~~	,, Verbenica		236
9	,, ,, V incisa		4I7
W	,, virgata		355
29-30	Sambucus Ebulus		II8-355
29-30	,, nigra V ovalifructa		23
32-33	,, ,, V rotundif.		I03
29-30	,, ,, forma		270
23-25	,, racemosus		I87
I8	,, ,,	382	
32-33	,, ,,		I03
W	Santolina Chamae-Cyparissus		342
I9	,, ,, ,,	660	
20	,, ,, ,,		I29
32-33	Saponaria calabrica		468
29-30	Satureia Acinos		52I
29-30	,, ascendens V Briggsii		366
I9	,, montana		573
23-25	,, ,,	206	

16	Saxifraga (s)			568
29-30	,,	,,	116	
8	,,	Notes.		376
18	,,	Drucei		284
W	,,	Geum X.		186
W	,,	Hirculus		292
19	,,	,,	653	
26-28	,,	,,		115
14	,,	hirsuta V acutidens		144
32-33	,,	hypnoides X sphonhemica		762
9	,,	nivalis X. (Crawfordii)		414
23-25	,,	~~xxxxxx~~ rotundifolia		184
8	,,	umbrosa V serratif.		376
10	Scabiosa (s)			503
9	,,	X. (Columbaria X Succisa)		415
29-30	,,	Columbaria forma		355
22	,,	maritima		729
26-28	,,	,,,	263	
12	,,	Succisa. Vars.		163
17	,,	,, V glabrata		110
13	,,	,, V hispidula	472	
17	,,	,, V ovalis		32
29-30	,,	,, forma nana		118
32-33	Scandicum pinnatif.			21

I2 Scheuchzeria pal. 290
I3 ,, ,, 395
I4 ,, ,, I66
29-30 ,, ,, 373

W Schoenus ferrugin. 462
I3 ,, ,, 503

29-30 Scilla autumnalis 240

I6 ,, ,, V albiflora 505

2I ,, bifolia 3I8

I2 ,, hispanica 288

I7 ,, non-scripta V bracteata I30

20 ,, ,, ,, ,, ,, forma Stuartiae 49

29-30 ,, ,, ,, V Lacaillei 38

~~2I3~~ 29-30 Scirpus (s) 24I-374-528

3I ,, Notes 572

29-30 ,, americanus I4I

I2 ,, caespitosus V germanicus I80-292
I5 ,, ,, ,, ,, 285

29-30 ,, maritimus V conglobatus I4I

2I ,, nanus (Eleocharis) ~~5I8~~ 58I

W ,, rufus (Bigelowii) II6
23-25 ,, ,, 408-90I

26-28 ,, ,, V bifolius I38

I4 ,, setaceus V major 27

23-25 ,, ,, V pedicillatus 68-455-900

23-25 ,, Tabernaemontani X triqueter 68

32-33 Scleropoa rigida V patens 4I

B.E.R. 1905 to 1933
S. cont.

I8	Scorpiurus sub-villosa				375
I5					
~~23-25~~	Scorzonera humilis				202
I6	,,	,,	4I9		
23-25	,,	,,		582	
23-25	Scotch Plants.				249
I6	Scrophularia (s)			496	
29-30	,,	,,	363		
3I	,,	Notes.		568	
I2	,,	alata			27I
I5	,,	,,	359		
I7	,,	,,		II9	
I5	,,	,, X aquatica (Hurstii)			204
26-28	,,	aquatica V appendiculata			532
23-25	,,	,, V pubescens			398
23-25	,,	,, V angustif.			777
29-30	,,	nodosa V bracteata			I28
2I	,,	,, V ternata			297
26-28	,,	,, V Trachelioides			3I3
32-33	,,	perigrina			I06
I7	,,	Scorodonia V viridif.			39
29-30	,,	vernalis		I28	

29-30 Scutellaria Columnae 236

I8 ,, galericulata V littoralis 394
23-25 ,, ,, ,, ,, 890
W ,, ,, ,, ,, 550

9 ,, ,, V pubescens 417-468
I2 ,, ,, ,, ,, 275
20 ,, ,, ,, ,, I4I
W ,, ,, ,, ,, 405

26-28 ,, ,, Var. I29-3I5

26-28 ,, ,, Vars. 532

I3 Sedum acre 323
29-30 ,, ,, 353

I8 ,, Cepaea 379

29-30 ,, dasyphyllum 228

I2 ,, Drucei I60
I3 ,, ,, 468
I7 ,, ,, 28

8 ,, Fosterianum 376
I4 ,, ,, I44
3I ,, ,, etc. 65I
29-30 ,, purpureum II6-353
I2 29-30 ,, reflexum II6

I7 ,, ,, V albescens I07

32-33 ,, roseum II7

3I ,, rupestre 65I
32-33 ,, ,, 435

I9 ,, sexangulare 654
2I ,, ,, 382
W(I7)I8- ,, ,, 64
29-30 ,, ,, 5I5

2I Selaginella denticulata 586

20 Sempervivum arboreum 22

I5 Senecio (s) 352
I7 ,, ,, II2
23-25 ,, ,, 879
29-30 ,, ,, I20-229-357

I2 ,, Notes. 259
8 ,, ,, 379

9 ,, X. 4I5

26-28 ,, Xs. etc. 40I-743

I8 ,, Aliens. 288
23-25 ,, ,, 440

26-28 ,, aquaticus V intermedius 743
23-25 ,, ,, X Jacob. (Ostenfeldii) 39
26-28 ,, ,, ,, ,, etc. II8
20 ,, ,, V ornatus 25
23-25 ,, ,, V ,, 726

W ,, auriculatus 447

I7 ,, erraticus 35
23-25 ,, ,, 39-996
I927 ,, ,, (Plate) Page I
26-28 ,, ,, 264-743

I6 ,, erucif. V discoideus 4I7
32-33 ,, ,, ,, ,, I04
I6 ,, ,, V tenuif. Fx 573

23-25 ,, Jacobaea V abrotanoides 774
I5 ,, ,, V condensata 20I

32-33 ,, leucanthemifolia 22

23-25 ,, mikanioides 440-I05I

20 ,, Smithii (Cineraria giganteus) I30
3I ,, ,, 654

22 ,, squalidus. Vars. 6I0
W ,, spathulif. 54

23-25 ,, sylvaticus V discoideus 440

I3 ,, vulgaris. Notes. 358
22 ,, ,, ,, 78I
I2 ,, ,, V rubricaulis 260

22	Serratula tinct. Vars.		6II
29-30	Setaria verticillata V brevisetum		530
29-30	,, Viridis	530	
23-25	,, ,, V majus		903
32-33	,, ,, ,, ,,	II4	
26-28	,, ,, V weidmanni		37
29-30	,, ,, ,, ,,	576	
32-33	,, ,, ,, ,,		37
20	Sherardia arvensis Vars.		I27
W	,, ,, V hirsuta		237
I3	,, ,, V maritima		472
23-25	,, ,, ,, ,,	I050	
29-30	,, ,, V ovata		II8
3I	Sicily.		80I
32-33	Sideritis romana		539
3I	Siedelia mercuralis		57I
3I	Sieglingia decumbens		580
I5	,, ,, V longigluma		287
23-25	,, ,, ,, ,,	222	

I6 Silene (s) 475
20 ,, ,, II5
26-28 ,, ,, 728

29-30 ,, ,, I06-337

3I ,, ,, 638

23-25 ,, catholica 866
26-28 ,, ,, 729

26-28 ,, conoidea 529-728

3I ,, cordatifolia 554

I5 ,, Cucab. V rubra I88
2I ,, ,, ,, ,, 375

W ,, dubia 45
5 ,, ,, I58
I4 ,, ,, I26
29-30 ,, ,, 224
32-33 ,, ,, I59

2I ,, italica 275-552

I2 ,, maritima, forma 235
I7 ,, ,, V parvifolia 2I2
W(I7-I8) ,, ,, X latif. 53

26-28 ,, nocturna V pauciflora 302

23-25 ,, pendula 562

I6 Sisymbrium (s) 472
29-30 ,, ,, I03-333
3I ,, ,, 636

32-33 ,, erysimoides Var. 5I6

2I ,, Loeselii 372
32-33 ,, ,, 428

29-30 ,, pannonicum 508

29-30 ,, polyceratium 222

29-30 ,, Thalianum 508
23-25 ,, ,, V brevicaule 27
I9 ,, ,, forma pusilla 548

I3 Sisyrinchium angustifoliam 394
I7 ,, ,, I29
32-33 ,, ,, III
3I ,, ,, 670

29-30 Sium erectum forma II7

I8 ,, latifolium. Vars. 284

29-30 Smyrnium Olusatrum II7

2I Snowdon & planted Aliens 453

29-30 Solanum (s) I27-232

29-30 ,, Chenopioides 276

23-25 ,, Dulcamara. Vars. I054

I6 ,, ,, V albiflora 495

I6 ,, ,, V ovatum 423

26-28 ,, ,, V tomentosa 267-748

I7 ,, miniatum 234

29-30 ,, nigrum V chlorocarpum 5I8

20 ,, ,, V sinuatum 33

23-25 ,, sisymbrifolium 777
26-28 ,, ,, 749
32-33 ,, ,, 534

32-33 ,, triflorum 534

29-30 Solidago (s) ~~xxxx~~II9-~~28~~ 355

2I ,, cambrica 283

26-28 ,, Virgaurea. Notes. 74I
26-28 ,, ,, Vars. dentatiff. & interrupta 307
23-25 ,, ,, V Plukenetiana 877
3I ,, ,, ,, ,, 654

32-33 Somerset Plants 268

I7 Sonchus (s) II5
29-30 ,, ,, I25
32-33 ,, ,, 532

I2 ,, albescens I66
I6 ,, ,, 576

26-28 ,, arvensis V laevipes 265

I5 ,, ,, V spinulosus 202

32-33 ,, asper V leptophyllus I05

23-25 ,, ,, X oleraceus (Piquetii) 43

29-30 Sorbus Aria~~22x~~ 226

29-30 ,, ,, V lanifera 5I5

23-25 ,, Arsenii 96I

2I ,, Mougeotti 56I

32-33 Sorghum cernuum 485-778

W Sparganium affine V microcephalum 64-3I4
26-28 ,, erectum. Vars. 3I9
I2 ,, flaccidum I79
I0 ,, natans V microcephalum 509
29-30 ,, neglectum I40

W ,, ramosum V macrocarpum 5II
29-30 ,, ,,, X simplex 373

8 Spartina (s) 339
W ,, ,, (Stapf) 425
3I ,, Notes. 573
29-30 ,, alternifolia 242
5 ,, Townsendii I88
23-25 ,, ,, 456
29-30 ,, ,, I44-376

29-30 Spergula sativa 338

I3 Spergularia (s) 460
29-30 ,, ,, I08
II ,, X. (salina X rupestris) I6
23-25 ,, nicaeensis 996
I2 ,, rubra V stipularis I55
I2 ,, rupestris V glabrescens 237
I2 ,, salina V urbica I55

23-25 Spilanthes decumbens 439-726

23-25 ,, leptophylla 575

32-33 Spiraea denudata 398

3I ,, Douglasii 640

29-30 ,, Filipendula 5I3

32-33 ,, tomentosa 523

W ,, Ulmaria V denudata 334-439
I2 ,, ,, ,, ,, I60
I8 ,, ,, ,, ,, 376
2I ,, ,, ,, ,, 380
23-25 ,, ,, ,, ,, 87I

29-30 Spiranthes aestivalis I37

23-25 ,, Romanzoffiana 49I
29-30 ,, ,, 369

29-30 Stachys (s) 366

W ,, alpina 22
I7 ,, ,, 243
23-25 ,, ,, 734
26-28 ,, ,, (in Wales) 4I3-584

32-33 ,, ,, X germanica 539

29-30 ,, ambigua I32-236

W ,, germanica 405
3I ,, ,, 664-838

I8 ,, lanata 394

I0 ,, officinalis V glabrata 506

I7 ,, ,, forma peloria 48

32-33 ,, sylvatica 640

3I ,, ,, V umbrosa 664
29-30 ,, ,, forma I32
32-33 Staph. Obit. 5II

29-30 Staphylea pinnata I09

B.E.R. I905 to I933
S.cont.

8 Statice alpina 333

I5 ,, planifolia 203
I6 ,, ,, 577

26-28 ,, pubescens V Weyeri 309

23-25 Steironema ciliatum 729

I3 Stellaria (s) ~~x332~~ 459
29-30 ,, ,, 224-338

29-30 ,, aquatica 5I0
I2 ,, ,, V scandens 208

I0 ,, Dilleneana 546
3I ,, ,, V parviflora 639

29-30 ,, graminea forma 20-I07

8 ,, Holostea (apetalus form) 363

26-28 ,, ,, forma Lousleyi etc. 302

W ,, nemorum 8I

8 ,, neglecta 363
I6 ,, ,, V umbrosa 476

26-28 St Kildas Plants. 428

I7 Sueda (s) (Dondia) I25

W ,, macrocarpa 358
3I ,, maritima V erecta 839

3I Surrey Flora. (Review) ~~x597x~~ 595
3I ,, ,, (Druces Review & additions) 680

23-25 Sweden Tour. (Druce) 978

I3 Symphytum (s) 390-~~414~~ 484
I5 ,, ,, 358

29-30 ,, X. I27

8 ,, asperrimum 390

29-30 ,, perigrinum 362

23-25 ,, tuberosum 584-885

32-33 Tagetes patula 47I

29-30 Tamus communis V trilobata 38

8 Taraxacum (s) 340
20 ,, ,, 28
2I ,, ,, 294
22 ,, ,, 6I3-734

23-25 ,, ,, 43-I96-395-440-58I-775-882

26-28 ,, ,, 6I9-745
29-30 ,, ,, 26-I23-296-360-5I7
3I ,, ,, 562-657

I9 ,, Notes. 565

22 ,, Monograph. 773

32-33 ,, (New) 25-I04

I2 ,, balticum I66

I2 ,, spectabile 2I3

23-25 Tarragon 392-879

26-28 Tatra. High, (Tour in Slovakia) I84

29-30 Taxus baccata I47

22 ,, fastigiata 638

29-30 Teesdalia nudicaulis 335-508

29-30 Tellima grandiflora II6

23-25 Tetragona expansa 874

29-30 Tetragonolobus purp. 5I2

29-30 Teucrium Botrys 52I

23-25 ,, Chamaedrys V hirsutum 53

26-28 ,, Scorodonia V acrotomum 634
29-30 ,, ,, ,, ,, 236

I7 ,, ,, V crispum 49

I8 ,, ,, V dentatum 395

3I Teucrium Scorodonia forma 570

23-25 ,, spinosum 779

23-25 ,, resupinatum 779

8 Thalictrum (s) 356

I9 ,, Bauhinii 457

3I ,, collinum 632

5 ,, dunense I5I

5 ,, Kochii I52
W ,, ,, I72

29-30 ,, majus 33I

29-30 ,, marinum I00

23-25 ,, minus V flexuosum 859

W ,, ,, V odoratum (? V pubescens) I72

5 ,, montanum I5I

3I ,, umbrosum 632

26-28 Thames Botany. 53

26-28 Thellung. Obit. 7I2

23-25 Thermopsis montana 996

29-30 Thesium humifusum 368-524

23-25 Thlaspi alliaceum 28

3I ,, alpina 82I

29-30 ,, arvense I05

I6 ,, perfoliatum 473

8 Thymus (s) 337
I5 ,, ,, 364
23-25 ,, ,, 589
26-28 ,, ,, 753 xxxxx

29-30 ,, ,, I3I-235-366

3I ,, ,, 663- 838

W ,, Notes 550
26-28 ,, ,, I67-509

23-25 ,, Monograph. 226

3I ,, X. 570

I6 ,, alpestris 393

29-30 ,, britannicus X Chamaedrys 33

29-30 .. neglectus X Pulegioides 278

I0 ,, vestitus (lanuginosus) 506

23-25 ,, zetlandicus 450

3I Tilea petiolaris 639

I3 ,, platyphl. V corallina 3I4

20 Tillaea aquatica 259
2I ,, ,, 28I

23-25 Tordylium maximum 437
32-33 ,, ,, (?) I03-763

5 Townsend. Obit. I48

I6 Tragopogon (s) 576

3I ,, X. & Key. 566

I5 ,, V grandif. 272
23-25 ,, hybridus 44
29-30 ,, minor X porrif. 272

29-30 ,, porrif. 360
9 ,, ,, V parviflorus 4I6

29-30 ,, ,, X pratensis I25

I5 Trees of Gt. Britain 348

I9 Trichomanes radicans (IN wales) 692
I6 ,, ,, 5II
29-30 ,, ,, I47

23-25 Trientalis eur. V nana I98

I8 Trifolium (s) 375
23-25 ,, ,, 565

29-30 ,, ,, II0-225-259-34I

3I ,, ,, 640-825

I8 ,, Aliens. 28I

I5 ,, agrarium 26I
32-33 ,, ,, 522

26-28 ,, arvense Vs Brittingeri & littorale 22-732

23-25 ,, ,, Vs longisetum & strictius I78

W ,, ,, V strictius 53I
29-30 ,, ,, ,, ,, 5I2

23-25 ,, Cherleri I78

W ,, dubium V pygmaeum 532

26-28 ,, medium Vars. 303-6I2-732

I4 ,, minus V microphyllum I35

I5 ,, pratense V leucochraceum ~~x22I~~ 26I

22 ,, procumbens forma foliacea 606

9 ,, ,, V majus 445

5 ,, resupinatum I60
I5 ,, ,, 26I
I6 ,, ,, 480

I6 ,, strictum 480

29-30 ,, subterraneum 5I2

I5 Triglochin maritimum V sexangulare 284
I2 ,, ,, ,, ,, I79

I9 Trigonella (s) 647
23-25 ,, ,, I77-564-870
29-30 ,, ,, II0

32-33 Trinea glauca 528

3I Trisetum paniceum 677

29-30 Triticum trunciale I47

23-25 ,, turgidum 4I3

3I ,, ventricosum 679

29-30 Trower. Alice, Obit. 98

32-33 Tunbridge Wells Flora I97

W Tunica saxifraga 223
9 ,, ,, 440
I8 ,, ,, 37I
29-30 ,, ,, I06

I6 Tussilago Farfara forma 4I6

29-30 ,, ,, ,, alba 27I

29-30 ~~Ty~~ Typha (s) 373

29-30 ,, angustifolia I40

29-30 ,, latifolia I39

I7 ,, ,, X angustifolia I30

U.

20	Ulex europaeum	X Gallii	I7
23-25	,, ,, ,, ,,		379
29-30	.. .. forma		340
23-25	,, Gallii (galled)		I036
29-30	,, ,,		340-5I2
5	,, ,, V humilis		I60
29-30	,, ,, ,, ,,		II0
I5	,, minor V longispinosus		I92
9	Ulmus (s)		470
I0	,, ,,	523-59I	
I5	,, ,,		280
I7	,, ,,		I27-246
32-33	,, ,,	770	
32-33	,, elegantissima		482
3I	,, glabra		785
32-33	,, ,, V montana		II0
29-30	,, minor V sarniensis		524
26-28	,, nitens V Hunnyb.		588
II	,, Plotii (etc.)		3I-I22
20	,, ,,	I47	
23-25	,, ,,		595-894
29-30	.. ,,	I36	

26-28	Umbelliferae	82-373
I7	Urtica dioica V.	247
23-25	,, ,, V angustif	894
9	,, ,, V atrovirens	4I8
W	,, ,, ,, ,,	203
29-30	,, ~~xx~~ ~~x~~ V holosericea	I36
29-30	,, ,, V incisa	36
W	,, ,, V microphylla	203
29-30	,, ,, V umbrosa	525
23-25	,, ,, forma villosa	782
I5	,, pilulifera	280
29-30	,, ,,	I37
I2	Utricularia (s)	2I5
I4	,, ,,	7I
32-33	,, ,,	536
I0	,, (Key)	5II
W	,, ochroleuca	349
23-25	,, ,,	588
I5	,, ,,	276-363
29-30	,, vulgaris	365

29-30 Vaccinium intermedium I25

29-30 ,, Myrtillus 360

I5 ,, uliginosum V pubescens 202

3I Valeriana off. 557
32-33 ,, ,, 249

3I ,, ,, V dentatifolium (etc.) 558

29-30 Valerianella dentata 355

23-25 ,, ,, V mixta 392

29-30 ,, ,, ,, ,, 355-5I6

29-30 ,, eriocarpa II8

22 Variations of Vegetation in Scotland. 797

23-25 Vaughans Herbarium 667

23-25 Verbascum (s) 887
26-28 ,, ,, 409
29-30 ,, ,, 362

3I ,, X. 835

29-30 ,, longifolius 3I-I28
3I ,, ,, 835

26-28 ,, lychnites X Thapsus I26

26-28 ,, nigrum V tomentosum 53I

23-25 ,, Phlomoides I055

32-33 ,, pulchrum 28

20 ,, virgatum I37
2I ,, ,, 570
22 ,, ,, 739
W ,, ,, I9

23-25 Verbena hastata 205

29-30 ,, officinalis I30

23-25 ,, paniculata 779

I8 ,, tenera 298

I5 Veronica (s) 360
20 ,, ,, 34
26-28 ,, ,, 750

29-30 ,, ,, 3I-I28-233-363-5I9

3I ,, ,, 662
32-33 ,, ,, 44I-535

II ,, Key of Anagallis & aquatica, etc. 26

26-28 ,, Notes. 3I3

23-25 ,, acinifolia 398

26-28 ,, agrestis Vars. 633
3I ,, ,, V Sallesiana 580

29-30 ,, Anagallis-aquatica X aquatica 3I

W ,, arvensis V glandulosa 302

26-28 ,, Beccabunga V elegans 633
9 ,, ,, V longibract. 4I7
2I ,, ,, V repens 298

9 ,, Chamaedrys V incisa 4I6
9 ,, ,, V procera 4I6
23-25 ,, ,, ,, ,, 203

32-33 ,, filiformis 28

I7 ,, humifusa 235

I7 ,, hybrida Vars. albiflora & purpurescens 40

3I ,, Lobeliodes 570

26-28 ,, officinalis V integra, etc. 409
23-25 ,, ,, ,, ,, 887
I5 ,, ,, V rigida 205

32-33 ,, praecox 478-485
I8 ,, Pseudo-Chamaedrys 297
23-25 ,, salicifol. 998

32-33 ,, scutellata V villosa 44I

I6 Viburnum Opulus V flava 4I5
W ,, ,, ,, ,, 53-540

I5 Vicia (s) 262-336
I6 ,, ,, 48I
I7 ,, ,, I9-I04
23-25 ,, ,, I80
26-28 ,, ,, 734
29-30 ,, ,, III-~~2~~ 260-34I-5I3
3I ,, ,, 640

II ,, amoena 80

26-28 ,, angustif. V lutescens, etc. 304
23-25 ,, benghalese 87I

26-28 ,, bithynica V elegans, etc. 633

2-33 ,, Cassubica 42

I9 ,, cordata 554

I2 ,, condensata 2I0

I8 ,, Cracca V linearis 282
29-30 ,, ,, forma pallidiflora 226
26-28 ,, ,, Vars. 6I3

23-25 ,, Garlandii (for description [illegible]) 38I

23-25 ,, hybrida 887
W ,, ,, I79-334

26-28 ,, Lathyroides V cirrhifera, etc. 23-304
23-25 ,, ,, V robusta I80

3I ,, laevigata 554
3I ,, lutea V glabrescens 555

29-30 ,, Orobus 226

23-25 ,, sativa. (Key) 767
I3 ,, ,, V obovata 3I5
23-25 ,, ,, ,, ,, 38I

29-30 Vinca (s) 36I

29-30 ,, minor I26

5	Viola (s)		I56
8	,,	,,	330-36I
9	,,	,,	4I2-438
I0	,,	,,	497-543
I3	,,	,,	454
I4	,,	,,	62-I22
I5	,,	,,	326
I6	,,	,,	403-473-560
I7	,,	,,	98-2I0
I8	,,	,,	370
I9	,,	,,	642
20	,,	,,	II3-I74
2I	,,	,,	374
22	,,	,,	7I9
23-25	,,	,,	865
26-28	,,	,,	727-794
29-30	,,	,,	I05-222-293-298-335-508
3I	,,	,,	638-823
32-33	,,	,,	I64-426-44I-5I7-750
I3	,,	Monograph (Criticism on Gregorys,)	347
I7	,,	Notes.	I48a
I0	,,	,, (on Beckers Monog.)	527
23-25	,,	,,	3I9
29-30	,,	,, (Drabble)	457
8	,,	Xs.	329

26-28	Viola arvensis (Notes on distribution.)	I9I
W(I6-I7)	,, ,, V cantiana	9
3I	,, biflora	553
23-25	,, canina X montana	I032
I2	,, ,, V pusilla, etc.	I54
I2	,, ,, formas leucorus & sabulosa	I54
29-30	,, contempta V patula	20
23-25	,, epipsila & Juressi	29
I0	,, ,,	497
II	,, ,,	II-75
23-25	,, faroensis	I033
I7	,, lactea X Riviniana	2II
23-25	,, ,, ,, ,,	865
W	,, ,, V pumiliforme, etc.	22I
I2	,, ,, ,, ,,	I55
32-33	,, ~~Mckii~~ Mckaii (Pesneaui)	I64
I2	,, Riviniana V pseudo-mirabilis	I54
I2	,, rupestris	I54
29-30	Viscum album	I36
I8	Volvulus dahuricus	296
29-30	,, sepium V coloratus	362

23-25	Wales. N, Notes (Vachell)	606
32-33	Weather of I932	280
29-30	Weingartneria canescens	I44
23-25	Welsh Botany	944
3I	,, Timber (Review)	606
23-25	Wheldon. Obit.	548
32-33	White. J.W. Obit.	83
I9	Wilckia maritima	638
29-30	,, ,,	I03
3I	,, ,,	636
9	Williams Prodomus	423
3I	Willows. (Long Paper)	7I9

X.

29-30 Xanthium (s) 356

23-25 ,, Strumarium 575

xxxxxxxxxxxxxxxxxxxxxxxxxxx

Y.
(unrepresented)

xxxxxxxxxxxxxxxxxxxxxxxxxxx

Z.

32-33 Zacyntha verrucosa 27-343

I7 Zannichellia (s) I3I
32-33 ,, ,, 235

9 ~~x~~ ~~xxx~~ ,, gibberosa 420
I0 ,, ,, 600
I9 ,, ,, 684

32-33 ,, pal. V genuina 546-773

32-33 ,, pedicillata V pedunculata 546-773

W ,, pedunculata 5I2
29-30 ,, ,, 528

I6 Zealand. New, Flora 447
23-25 ,, ,, ,, 83
26-28 ,, ,, ,, 350

29-30 ,, ,, Plants 54

2I Zetlandica Flora. 457

23-25 ,, ,, (additions) 628

26-28 ,, ,, 770

32-33 Zoegea Leptaurea 47I

29-30 Zostera (s) 374

32-33 ,, forms. 592

32-33 ,, marina 623

W ,, ,, V stenophylla 363